



## AGRIMAX RT 855 - Data Sheet



### Description

AGRIMAX RT 855 provides excellent traction and comfort properties. Mainly designed for soil tillage and both field and road transport, some sizes are also suitable for spraying, and vineyard harvesting. AGRIMAX RT 855 has excellent self-cleaning features that allow for a quick change from field operations to road usage.

### UM

US Standard

### Construction

 RADIAL

### Machinery

Agriculture: Sprayer • Tractor • Vineyard Harvester

| SIZE                    | Version   | USACode  | TRA Code | LI/SS        | LI/SS FREE ROLLING | RIM REC | RIM ALT    | SW   | OD   | SLR  | RC    | Type | TMPH | ECE             |
|-------------------------|-----------|----------|----------|--------------|--------------------|---------|------------|------|------|------|-------|------|------|-----------------|
| 180/95 R 16 (6.50 R 16) | STANDARD  | 94039210 | R1W      | 105 A8/B     |                    | 5.5 F   | 6.0 F      | 7.3  | 29.9 | 13.4 | 89.2  | TL   | 0    | E4-106R-000756  |
| 210/95 R 16 (7.50 R 16) | IMPLEMENT | 94069965 | R1W      | 116A8        | 116 A8             | W 7     | W 6 ; 6 LB | 8.4  | 31.7 | 13.8 | 92.6  | TL   | 0    | E11-106R-006625 |
| 210/95 R 16 (7.50 R 16) | STANDARD  | 94028665 | R1W      | 106 A8/B     |                    | W 7     | W 6 ; 6 LB | 8.4  | 31.7 | 14.2 | 94    | TL   | 0    | E4-106R-000608  |
| 210/95 R 18 (7.50 R 18) | IMPLEMENT | 94069804 | R1W      |              | 122 A8             | W 7     | W 6        | 8.4  | 33.7 | 14.9 | 101   | TL   | 0    | E11-106R-007207 |
| 210/95 R 18 (7.50 R 18) | STANDARD  | 94028672 | R1W      | 108 A8/B     |                    | W 7     | W 6        | 8.4  | 33.7 | 15.2 | 101   | TL   | 0    | E4-106R-00634   |
| 250/80 R 18             | STANDARD  | 94066131 | R1W      | 125 A8/125 B |                    | W 8     | W 7 ; W 9  | 9.8  | 32.9 | 14.8 | 100   | TL   | 0    | E11-106R-006605 |
| 210/90 R 20 (8.3 R 20)  | STANDARD  | 94033621 | R1W      | 110 A8/B     |                    | W 7     | W 6        | 8.3  | 35   | 16.2 | 105.6 | TL   | 0    | E4-106R-001817  |
| 210/95 R 20 (7.50 R 20) | STANDARD  | 94043804 | R1W      | 110 A8/B     |                    | W 7     | W 6        | 8.4  | 35.7 | 16.5 | 108.2 | TL   | 0    | E4-106R-000637  |
| 250/85 R 20 (9.5 R 20)  | STANDARD  | 94027460 | R1W      | 116 A8/B     |                    | W 8     | W 7 ; W 9  | 9.8  | 37   | 16.7 | 110.7 | TL   | 0    | E4-106R-000639  |
| 280/85 R 20 (11.2 R 20) | STANDARD  | 94072927 | R1W      | 122 A8/B     |                    | W 10    | W 9        | 11.5 | 38.7 | 17.6 | 117.2 | TL   | 0    | E11-106R-007936 |
| 280/85 R 20 (11.2 R 20) | STANDARD  | 94021918 | R1W      | 112 A8/B     |                    | W 10    | W 9        | 11.5 | 38.7 | 17.4 | 116.2 | TL   | 0    | E4-106R-000642  |
| 320/85 R 20 (12.4 R 20) | STANDARD  | 94021963 | R1W      | 119 A8/B     |                    | W 11    | W 9 ; W 10 | 13   | 41.4 | 18.4 | 122   | TL   | 0    | E4-106R-000645  |
| 250/85 R 22             | SPECIAL   | 94062058 | R1W      | 113 A8/B     |                    | W 8     | W 7        | 9.9  | 38.8 | 17.8 | 116.7 | TL   | 1    | E11-106R-002973 |
| 250/85 R 22 (9.5 R 22)  | STANDARD  | 94049332 | R1W      | 113 A8/B     |                    | W 8     | W 7        | 9.9  | 38.8 | 17.8 | 116.7 | TL   | 0    | E11-106R-002973 |
| 250/85 R 24 (9.5 R 24)  | SPECIAL   | 94046751 | R1W      | 109 A8/B     |                    | W 8     | W 7 ; W 9  | 9.9  | 40.8 | 18.7 | 122.2 | TL   | 0    | E4-106R-000638  |
| 250/85 R 24 (9.5 R 24)  | STANDARD  | 94028177 | R1W      | 109 A8/B     |                    | W 8     | W 7 ; W 9  | 9.9  | 40.8 | 18.7 | 122.2 | TL   | 0    | E4-106R-000638  |
| 280/85 R 24 (11.2 R 24) | SPECIAL   | 94044658 | R1W      | 115 A8/B     |                    | W 10    | W 9        | 11.5 | 42.8 | 19.4 | 126.9 | TL   | 0    | E4-106R-000611  |
| 280/85 R 24 (11.2 R 24) | STANDARD  | 94021536 | R1W      | 115 A8/B     |                    | W 10    | W 9        | 11.5 | 42.8 | 19.4 | 126.9 | TL   | 0    | E4-106R-000611  |

|                                |          |          |     |          |        |               |      |      |      |       |    |   |                 |
|--------------------------------|----------|----------|-----|----------|--------|---------------|------|------|------|-------|----|---|-----------------|
| <b>320/85 R 24 (12.4 R 24)</b> | SPECIAL  | 94044665 | R1W | 122 A8/B | W 11   | W 9 ; W 10    | 13   | 45.4 | 20.4 | 134.8 | TL | 0 | E4-106R-000613  |
| <b>320/85 R 24 (12.4 R 24)</b> | STANDARD | 94021550 | R1W | 122 A8/B | W 11   | W 9 ; W 10    | 13   | 45.4 | 19.3 | 134.8 | TL | 0 | E4-106R-000613  |
| <b>340/85 R 24 (13.6 R 24)</b> | SPECIAL  | 94043972 | R1W | 125 A8/B | W 12   | W 11          | 13.9 | 46.8 | 20.9 | 139.4 | TL | 0 | E4-106R-000604  |
| <b>340/85 R 24 (13.6 R 24)</b> | STANDARD | 94021581 | R1W | 125 A8/B | W 12   | W 11          | 13.9 | 46.8 | 20.9 | 139.4 | TL | 0 | E4-106R-000604  |
| <b>380/85 R 24 (14.9 R 24)</b> | SPECIAL  | 94044672 | R1W | 131 A8/B | W 12   | W 11 ; W 13   | 15   | 49.4 | 21.8 | 146.5 | TL | 0 | E4-106R-000592  |
| <b>380/85 R 24 (14.9 R 24)</b> | STANDARD | 94021635 | R1W | 131 A8/B | W 12   | W 11 ; W 13   | 15   | 49.4 | 21.8 | 146.5 | TL | 0 | E4-106R-000592  |
| <b>420/85 R 24 (16.9 R 24)</b> | SPECIAL  | 94047482 | R1W | 137 A8/B | W 15 L | W 14 L ; W 13 | 17.7 | 52.1 | 22.9 | 153.5 | TL | 0 | E4-106R-000595  |
| <b>420/85 R 24 (16.9 R 24)</b> | STANDARD | 94029556 | R1W | 137 A8/B | W 15 L | W 14 L ; W 13 | 17.7 | 52.1 | 22.9 | 153.5 | TL | 0 | E4-106R-000595  |
| <b>250/85 R 28 (9.5 R 28)</b>  | SPECIAL  | 94047666 | R1W | 112 A8/B | W 8    | W 7 ; W 9     | 9.9  | 44.8 | 20.4 | 134.7 | TL | 0 | E4-106R-000646  |
| <b>250/85 R 28 (9.5 R 28)</b>  | STANDARD | 94037520 | R1W | 112 A8/B | W 8    | W 7 ; W 9     | 9.9  | 44.8 | 20.4 | 134.7 | TL | 0 | E4-106R-000646  |
| <b>280/85 R 28 (11.2 R 28)</b> | SPECIAL  | 94047499 | R1W | 118 A8/B | W 10   | W 9           | 11.5 | 46.7 | 21.5 | 140.1 | TL | 0 | E4-106R-000614  |
| <b>280/85 R 28 (11.2 R 28)</b> | STANDARD | 94021543 | R1W | 118 A8/B | W 10   | W 9           | 11.5 | 46.7 | 21.5 | 140.1 | TL | 0 | E4-106R-000614  |
| <b>320/85 R 28 (12.4 R 28)</b> | SPECIAL  | 94047352 | R1W | 124 A8/B | W 11   | W 9 ; W 10    | 13   | 49.4 | 22.4 | 147.4 | TL | 0 | E4-106R-000615  |
| <b>320/85 R 28 (12.4 R 28)</b> | STANDARD | 94021574 | R1W | 124 A8/B | W 11   | W 9 ; W 10    | 13   | 49.4 | 22.4 | 147.4 | TL | 0 | E4-106R-000615  |
| <b>340/85 R 28 (13.6 R 28)</b> | SPECIAL  | 94044252 | R1W | 127 A8/B | W 12   | W 11          | 13.9 | 50.7 | 23.1 | 153.1 | TL | 0 | E4-106R-000593  |
| <b>340/85 R 28 (13.6 R 28)</b> | STANDARD | 94073269 | R1W | 139 A8/B | W 12   | W 11          | 13.9 | 51.8 | 23.7 | 156   | TL | 0 | E11-106R-008233 |
| <b>340/85 R 28 (13.6 R 28)</b> | STANDARD | 94021611 | R1W | 127 A8/B | W 12   | W 11          | 13.9 | 50.7 | 23.1 | 153.1 | TL | 0 | E4-106R-000593  |
| <b>380/85 R 28 (14.9 R 28)</b> | SPECIAL  | 94043798 | R1W | 133 A8/B | W 12   | W 11 ; W 13   | 15   | 53.4 | 23.9 | 158.1 | TL | 0 | E4-106R-000597  |
| <b>380/85 R 28 (14.9 R 28)</b> | STANDARD | 94021666 | R1W | 133 A8/B | W 12   | W 11 ; W 13   | 15   | 53.4 | 23.9 | 158.1 | TL | 0 | E4-106R-000597  |
| <b>420/85 R 28</b>             | SPECIAL  | 94046768 | R1W | 139 A8/B | W 15 L | W 13 ; W 14 L | 17.2 | 56.1 | 25.1 | 167   | TL | 0 | E4-106R-        |

(16.9 R  
28)

000602

|  |          |          |     |             |        |                 |      |      |      |       |    |   |                         |
|--|----------|----------|-----|-------------|--------|-----------------|------|------|------|-------|----|---|-------------------------|
| <b>420/85<br/>R 28<br/>(16.9 R<br/>28)</b> | STANDARD | 94021710 | R1W | 139<br>A8/B | W 15 L | W 13 ; W 14 L   | 17.2 | 56.1 | 25.1 | 167   | TL | 0 | E4-<br>106R-<br>000602  |
| <b>380/85<br/>R 30<br/>(14.9 R<br/>30)</b> | SPECIAL  | 94033096 | R1W | 135<br>A8/B | W 12   | W 11 ; W 13     | 15   | 55.4 | 24.9 | 165   | TL | 0 | E4-<br>106R-<br>000594  |
| <b>380/85<br/>R 30<br/>(14.9 R<br/>30)</b> | STANDARD | 94021680 | R1W | 135<br>A8/B | W 12   | W 11 ; W 13     | 15   | 55.4 | 24.9 | 165   | TL | 0 | E4-<br>106R-<br>000594  |
| <b>420/85<br/>R 30<br/>(16.9 R<br/>30)</b> | SPECIAL  | 94033126 | R1W | 140<br>A8/B | W 15 L | W 13 ; W 14 L   | 17.2 | 58.1 | 26   | 174.1 | TL | 0 | E4-<br>106R-<br>000654  |
| <b>420/85<br/>R 30<br/>(16.9 R<br/>30)</b> | STANDARD | 94021734 | R1W | 140<br>A8/B | W 15 L | W 13 ; W 14 L   | 17.2 | 58.1 | 26   | 174.1 | TL | 0 | E4-<br>106R-<br>000654  |
| <b>460/85<br/>R 30<br/>(18.4 R<br/>30)</b> | SPECIAL  | 94046775 | R1W | 145<br>A8/B | W 16 L | W 14 L ; W 15 L | 18.7 | 60.8 | 26.8 | 179.6 | TL | 0 | E4-<br>106R-<br>000774  |
| <b>460/85<br/>R 30<br/>(18.4 R<br/>30)</b> | STANDARD | 94047765 | R1W | 156<br>A8/B | W 16 L | W 14 L ; W 15 L | 18.7 | 60.8 | 26.8 | 179.6 | TL | 0 | E11-<br>106R-<br>007812 |
| <b>460/85<br/>R 30<br/>(18.4 R<br/>30)</b> | STANDARD | 94021765 | R1W | 145<br>A8/B | W 16 L | W 14 L ; W 15 L | 18.7 | 60.8 | 26.8 | 179.6 | TL | 0 | E4-<br>106R-<br>000774  |
| <b>320/85<br/>R 32<br/>(12.4 R<br/>32)</b> | SPECIAL  | 94047475 | R1W | 126<br>A8/B | W 11   | W 9 ; W 10      | 13   | 53.4 | 24.4 | 160.7 | TL | 0 | E4-<br>106R-<br>000758  |
| <b>320/85<br/>R 32<br/>(12.4 R<br/>32)</b> | STANDARD | 94021598 | R1W | 126<br>A8/B | W 11   | W 9 ; W 10      | 13   | 53.4 | 24.4 | 160.7 | TL | 0 | E4-<br>106R-<br>000758  |
| <b>320/85<br/>R 34<br/>(12.4 R<br/>34)</b> | SPECIAL  | 94047239 | R1W | 141<br>A8/B | W 11   | W 9 ; W 10      | 13   | 55.4 | 25.4 | 168.5 | TL | 0 | E4-<br>106R-<br>000758  |
| <b>320/85<br/>R 34<br/>(12.4 R<br/>34)</b> | STANDARD | 94040414 | R1W | 141<br>A8/B | W 11   | W 9 ; W 10      | 13   | 55.4 | 25.4 | 168.5 | TL | 0 | E4-<br>106R-<br>001395  |
| <b>380/85<br/>R 34<br/>(14.9 R<br/>34)</b> | SPECIAL  | 94033102 | R1W | 137<br>A8/B | W 12   | W 11 ; W 13     | 15   | 59.4 | 26.9 | 177.3 | TL | 0 | E4-<br>106R-<br>000655  |
| <b>380/85<br/>R 34<br/>(14.9 R<br/>34)</b> | STANDARD | 94021697 | R1W | 137<br>A8/B | W 12   | W 11 ; W 13     | 15   | 59.4 | 26.9 | 177.3 | TL | 0 | E4-<br>106R-<br>000655  |
| <b>420/85<br/>R 34<br/>(16.9 R<br/>34)</b> | SPECIAL  | 94033133 | R1W | 142<br>A8/B | W 15 L | W 13 ; W 14 L   | 17.2 | 62.1 | 27.9 | 185.1 | TL | 0 | E4-<br>106R-<br>000656  |
| <b>420/85<br/>R 34<br/>(16.9 R<br/>34)</b> | STANDARD | 94021741 | R1W | 142<br>A8/B | W 15 L | W 13 ; W 14 L   | 17.2 | 62.1 | 27.9 | 185.1 | TL | 0 | E4-<br>106R-<br>000656  |
| <b>420/85<br/>R 34<br/>(16.9 R<br/>34)</b> | STANDARD | 94058532 | R1W | 147<br>A8/B | W 15 L | W 13 ; W 14 L   | 17.2 | 62.1 | 28.7 | 188.3 | TL | 0 | E11-<br>106R-<br>005179 |
| <b>460/85<br/>R 34<br/>(18.4 R<br/>34)</b> | SPECIAL  | 94046782 | R1W | 147<br>A8/B | W 16 L | W 14 L ; W 15 L | 18.7 | 64.8 | 28.4 | 191.5 | TL | 0 | E4-<br>106R-<br>000632  |
| <b>460/85<br/>R 34<br/>(18.4 R<br/>34)</b> | STANDARD | 94021772 | R1W | 147<br>A8/B | W 16 L | W 14 L ; W 15 L | 18.7 | 64.8 | 28.4 | 191.5 | TL | 0 | E4-<br>106R-<br>000632  |

|  |          |          |     |                    |         |                              |      |      |      |       |    |   |                         |
|--|----------|----------|-----|--------------------|---------|------------------------------|------|------|------|-------|----|---|-------------------------|
| <b>460/85<br/>R 34<br/>(18.4 R<br/>34)</b> | STANDARD | 94047772 | R1W | 158<br>A8/B        | W 16 L  | W 14 L ; W 15 L              | 18.7 | 64.8 | 28.4 | 191.5 | TL | 0 | E11-<br>106R-<br>006759 |
| <b>320/85<br/>R 36<br/>(12.4 R<br/>36)</b> | SPECIAL  | 94033065 | R1W | 128<br>A8/B        | W 11    | W 9 ; W 10                   | 13   | 57.4 | 26.5 | 173.4 | TL | 0 | E4-<br>106R-<br>000762  |
| <b>320/85<br/>R 36<br/>(12.4 R<br/>36)</b> | STANDARD | 94021628 | R1W | 128<br>A8/B        | W 11    | W 9 ; W 10                   | 13   | 57.4 | 26.5 | 173.4 | TL | 0 | E4-<br>106R-<br>000762  |
| <b>320/85<br/>R 36</b>                     | STANDARD | 94052691 | R1W | 147<br>D/150<br>A8 | W 11    | W 9 ; W 10                   | 13   | 57.4 | 26.5 | 173.4 | TL | 0 | E11-<br>106R-<br>003511 |
| <b>340/85<br/>R 36<br/>(13.6 R<br/>36)</b> | SPECIAL  | 94033089 | R1W | 132<br>A8/B        | W 12    | W 11                         | 13.9 | 58.7 | 27.1 | 177.4 | TL | 0 | E4-<br>106R-<br>000763  |
| <b>340/85<br/>R 36<br/>(13.6 R<br/>36)</b> | STANDARD | 94021642 | R1W | 132<br>A8/B        | W 12    | W 11                         | 13.9 | 58.7 | 27.1 | 177.4 | TL | 0 | E4-<br>106R-<br>000763  |
| <b>320/85<br/>R 38<br/>(12.4 R<br/>38)</b> | SPECIAL  | 94047543 | R1W | 143<br>A8/B        | W 11    | W 9 ; W 10 ;<br>DW 10        | 13   | 59.4 | 27.6 | 180.3 | TL | 0 | E4-<br>106R-<br>000781  |
| <b>320/85<br/>R 38<br/>(12.4 R<br/>38)</b> | STANDARD | 94039593 | R1W | 143<br>A8/B        | W 11    | W 9 ; W 10 ;<br>DW 10 ; DW11 | 13   | 59.4 | 27.6 | 180.3 | TL | 0 | E4-<br>106R-<br>000781  |
| <b>340/85<br/>R 38<br/>(13.6 R<br/>38)</b> | SPECIAL  | 94033072 | R1W | 133<br>A8/B        | W 12    | W 11                         | 13.9 | 60.7 | 28   | 183.8 | TL | 0 | E4-<br>106R-<br>000766  |
| <b>340/85<br/>R 38<br/>(13.6 R<br/>38)</b> | STANDARD | 94021673 | R1W | 133<br>A8/B        | W 12    | W 11                         | 13.9 | 60.7 | 28   | 183.8 | TL | 0 | E4-<br>106R-<br>000766  |
| <b>380/85<br/>R 38<br/>(14.9 R<br/>38)</b> | SPECIAL  | 94033119 | R1W | 139<br>A8/B        | W 12    | W 11 ; W 13                  | 15   | 63.4 | 29   | 190.6 | TL | 0 | E4-<br>106R-<br>000660  |
| <b>380/85<br/>R 38<br/>(14.9 R<br/>38)</b> | STANDARD | 94030552 | R1W | 139<br>A8/B        | W 12    | W 11 ; W 13                  | 15   | 63.4 | 29   | 190.6 | TL | 0 | E4-<br>106R-<br>000660  |
| <b>420/85<br/>R 38<br/>(16.9 R<br/>38)</b> | SPECIAL  | 94033140 | R1W | 144<br>A8/B        | W 15 L  | W 13 ; W 14 L                | 17.2 | 66.1 | 30   | 197.4 | TL | 0 | E4-<br>106R-<br>000661  |
| <b>420/85<br/>R 38<br/>(16.9 R<br/>38)</b> | STANDARD | 94021758 | R1W | 144<br>A8/B        | W 15 L  | W 13 ; W 14 L                | 17.2 | 66.1 | 30   | 197.4 | TL | 0 | E4-<br>106R-<br>000661  |
| <b>460/85<br/>R 38<br/>(18.4 R<br/>38)</b> | SPECIAL  | 94033164 | R1W | 149<br>A8/B        | W 16 L  | W 14 L ; W 15 L              | 18.7 | 68.8 | 30.9 | 204.9 | TL | 0 | E4-<br>106R-<br>000618  |
| <b>460/85<br/>R 38<br/>(18.4 R<br/>38)</b> | STANDARD | 94021789 | R1W | 149<br>A8/B        | W 16 L  | W 14 L ; W 15 L              | 18.7 | 68.8 | 30.9 | 204.9 | TL | 0 | E4-<br>106R-<br>000618  |
| <b>480/80<br/>R 38<br/>(18.4 R<br/>38)</b> | STANDARD | 94045341 | R1W | 149<br>A8/B        | DW 16 L | W 14 L ; W 15 L              | 18.7 | 68.8 | 30.9 | 203.2 | TL | 0 | E4-<br>106R-<br>001822  |
| <b>520/85<br/>R 38<br/>(20.8 R<br/>38)</b> | SPECIAL  | 94047536 | R1W | 155<br>A8/B        | DW 16 L | DW 18 L ; DD<br>16 L         | 20.3 | 72.8 | 32   | 215.2 | TL | 0 | E4-<br>106R-<br>000601  |
| <b>520/85<br/>R 38</b>                     | SPECIAL  | 94061952 | R1W | 170<br>A8/B        | DW 16 L | DW 18 L ; DD<br>16 L         | 20.3 | 72.8 | 33.3 | 220.3 | TL | 1 | E4-<br>106R-<br>001411  |
| <b>520/85<br/>R 38<br/>(20.8 R</b>         | STANDARD | 94021802 | R1W | 155<br>A8/B        | DW 16 L | DW 18 L ; DD<br>16 L         | 20.3 | 72.8 | 32   | 215.2 | TL | 0 | E4-<br>106R-<br>000601  |

|                                |              |          |     |              |  |                                   |                                    |      |      |      |       |    |   |                  |
|--------------------------------|--------------|----------|-----|--------------|--|-----------------------------------|------------------------------------|------|------|------|-------|----|---|------------------|
| <b>38)</b>                     |              |          |     |              |  |                                   |                                    |      |      |      |       |    |   |                  |
| <b>520/85 R 38 (20.8 R 38)</b> | STANDARD     | 94038374 | R1W | 170 A8/B     |  | DW 16 L                           | DW 18 L ; DD 16 L                  | 20.3 | 72.8 | 33.3 | 220.3 | TL | 0 | E4-106R-001411   |
| <b>480/80 R 42 (18.4 R 42)</b> | STANDARD     | 94021796 | R1W | 151 A8/B     |  | W 16 A ; DD 16 ; DW 16 A          | DD 16 L ; DW 16 L ; W 16 L         | 18.9 | 72.2 | 32.9 | 216.3 | TL | 0 | E4-106R-000791   |
| <b>520/85 R 42 (20.8 R 42)</b> | SPECIAL      | 94060122 | R1W | 157 A8/B     |  | DW 16 L ; W 16 A ; DD 16          | DW 18 A ; DD 18 ; W 18 A ; DD 18 L | 20.3 | 76.8 | 33.8 | 227.6 | TL | 0 | E4-106R-000792   |
| <b>520/85 R 42 (20.8 R 42)</b> | SPECIAL      | 94060139 | R1W | 167 A8/B     |  | DW 16 L ; W 16 A ; DD 16          | DW 18 A ; DD 18 ; W 18 A ; DD 18 L | 20.3 | 76.8 | 33.8 | 227.6 | TL | 0 | E4-106R-001491   |
| <b>520/85 R 42 (20.8 R 42)</b> | STANDARD     | 94021819 | R1W | 157 A8/B     |  | DW 16 L ; W 16 A ; DD 16          | DW 18 A ; DD 18 ; W 18 A ; DD 18 L | 20.3 | 76.8 | 33.8 | 227.6 | TL | 0 | E4-106R-000792   |
| <b>520/85 R 42 (20.8 R 42)</b> | STANDARD     | 94040513 | R1W | 167 A8/B     |  | DW 16 L ; W 16 A ; DD 16          | DW 18 A ; DD 18 ; W 18 A ; DD 18 L | 20.3 | 76.8 | 33.8 | 227.6 | TL | 0 | E4-106R-001491   |
| <b>420/80 R 46 (16.9 R 46)</b> | SPECIAL      | 94062065 | R1W | 159 D/170 A2 |  | W 13                              | W 12                               | 16.5 | 72.4 | 34   | 222.1 | TL | 1 | E4-106R-001489   |
| <b>420/80 R 46 (16.9 R 46)</b> | STANDARD     | 94046089 | R1W | 151 D/162 A2 |  | W 13                              | W 12                               | 16.5 | 72.4 | 34   | 222.1 | TL | 0 | E4-106R-001730   |
| <b>420/80 R 46 (16.9 R 46)</b> | STANDARD     | 94046072 | R1W | 159 D/170 A2 |  | W 13                              | W 12                               | 16.5 | 72.4 | 34   | 222.1 | TL | 0 | E4-106R-001489   |
| <b>480/80 R 46 (18.4 R 46)</b> | STANDARD     | 94021826 | R1W | 158 A8/B     |  | DW 16 A ; W 16 A ; DD 16          | W 16 L ; DD 16 L ; DW 16 L         | 18.9 | 76.2 | 35.2 | 231.1 | TL | 0 | E4-106R-001731   |
| <b>480/80 R 46 (18.4 R 46)</b> | STANDARD     | 94040537 | R1W | 164 A8/B     |  | DW 16 A ; W 16 A ; DD 16          | W 16 L ; DD 16 L ; DW 16 L         | 18.9 | 76.2 | 35.2 | 231.1 | TL | 0 | E4-106R-000798   |
| <b>520/85 R 46</b>             | SPECIAL      | 94062072 | R1W | 158 A8/B     |  | DW 16 L ; W 16 A ; W 16 L ; DD 16 | DW 18 L ; W 18 L ; W 18 A          | 20.3 | 80.8 | 36.6 | 242.4 | TL | 1 | E4-106R-001415   |
| <b>520/85 R 46 (20.8 R 46)</b> | STANDARD     | 94030569 | R1W | 158 A8/B     |  | DW 16 L ; W 16 A ; W 16 L ; DD 16 | DW 18 L ; W 18 L ; W 18 A          | 20.3 | 80.8 | 36.6 | 242.4 | TL | 0 | E4-106R-001415   |
| <b>520/85 R 46 (20.8 R 46)</b> | STANDARD     | 94040544 | R1W | 173 A8/B     |  | DW 16 L ; W 16 A ; W 16 L ; DD 16 | DW 18 L ; W 18 L ; W 18 A          | 20.3 | 80.8 | 38   | 248.4 | TL | 0 | E4-106R-001494   |
| <b>420/80 R 50 (16.9 R 50)</b> | STEEL BELTED | 94075508 | R1W | 165 A8/B     |  | W 13                              | W 12                               | 16.5 | 76.8 | 36   | 234.4 | TL | 0 | E11-106R-0010078 |
| <b>480/80 R 50 (18.4 R 50)</b> | STANDARD     | 94029914 | R1W | 159 A8/B     |  | DW 16 L                           | DW 15 L ; W 15 L                   | 19.3 | 80.2 | 37   | 243.4 | TL | 0 | E4-106R-001486   |
| <b>480/80 R 50 (18.4 R 50)</b> | STEEL BELTED | 94045358 | R1W | 176 A8       |  | DW 16 L                           | DW 15 L ; W 15 L                   | 19.3 | 80.2 | 37.2 | 243.4 | TL | 0 | E4-106R-001495   |
| <b>520/85 R 50 (20.8 R 50)</b> | STANDARD     | 94057993 | R1W | 165 A8/B     |  | DW 16 L                           | DW 18 L                            | 20.3 | 84.8 | 39.1 | 254.8 | TL | 0 | E11-106R-004895  |

All product data contained in this publication are for information purposes only and may be modified at any time without prior notice. Balkrishna Industries Ltd. or any of its subsidiary companies does not undertake any responsibility or liability for undetected errors and/or misprints. All rights reserved. The materials and contents of this publication and the website are the exclusive property of Balkrishna Industries Ltd. and are protected by industrial and/or intellectual property laws. The user is not permitted to copy, reproduce, transfer, upload, make use of, publish or spread any contents, in whole or in part, on paper format, electronic format or otherwise without prior written consent by Balkrishna Industries Ltd..