

## AGRIMAX RT 765 - Datenblatt



### Description

AGRIMAX RT 765, ein Reifen der BKT 70er Serie, ist für den Einsatz mit hochmodernen Traktoren auf dem neuesten Stand der Technik in verschiedenen Schwerlastanwendungen wie Bodenbearbeitung, Feld- und Straßenfahrten, Weinlese sowie Sprüheinsätze geeignet. Eine breite Aufstandsfläche gewährleistet jederzeit bestmögliche Traktion auf allen Bodenflächen. Der Reifen bietet großartige Selbstreinigungseigenschaften sowie reduzierte Bodenverdichtung. Zwei Größen sind mit Stahlbandtechnologie erhältlich.

### UM

US Standard

### Construction

 RADIAL

### Machinery

Landwirtschaft: Feldspritze • Traktor •  
Traubenerntemaschine

| SIZE        | Version  | USACode  | TRA Code | LI/SS    | RIM REC | RIM ALT            | SW   | OD   | SLR  | RC    | Type | TMPH | ECE             |
|-------------|----------|----------|----------|----------|---------|--------------------|------|------|------|-------|------|------|-----------------|
| 200/70 R 16 | STANDARD | 94026869 | R1W      | 94 A8/B  | W 6     |                    | 7.8  | 27   | 12.4 | 81.1  | TL   | 0    | E4-106R-000607  |
| 220/70 R 16 | STANDARD | 94045365 | R1W      | 99 A8/B  | W 7     | W 8                | 8.7  | 28.1 | 12.8 | 84.4  | TL   | 0    | E11-106R-003354 |
| 240/70 R 16 | STANDARD | 94022014 | R1W      | 104 A8/B | W 8     | W 8 L ; W 9 L      | 9.6  | 29.2 | 13.2 | 85.7  | TL   | 0    | E4-106R-000609  |
| 260/70 R 16 | STANDARD | 94021888 | R1W      | 109 A8/B | W 8     | W 8 L ; W 9 L      | 10.2 | 30.3 | 13.6 | 89.9  | TL   | 0    | E4-106R-000610  |
| 280/70 R 16 | STANDARD | 94021895 | R1W      | 112 A8/B | W 9     | W 8 ; W 8 L ; W 10 | 11.1 | 31.4 | 14   | 93.3  | TL   | 0    | E4-106R-000633  |
| 280/70 R 18 | STANDARD | 94021901 | R1W      | 114 A8/B | W 9     | W 8 ; W 10         | 11.1 | 33.4 | 15   | 100.3 | TL   | 0    | E4-106R-000635  |
| 260/70 R 20 | SPECIAL  | 94044221 | R1W      | 113 A8/B | W 8     | 9 ; W 9            | 10.2 | 34.3 | 15.8 | 103.9 | TL   | 0    | E4-106R-000640  |
| 260/70 R 20 | STANDARD | 94030576 | R1W      | 113 A8/B | W 8     | 9 ; W 9            | 10.2 | 34.3 | 15.8 | 103.9 | TL   | 0    | E4-106R-000640  |
| 280/70 R 20 | SPECIAL  | 94044238 | R1W      | 116 A8/B | W 9     | W 8 ; W 10         | 11.1 | 35.4 | 16.1 | 106.5 | TL   | 0    | E4-106R-00641   |
| 280/70 R 20 | STANDARD | 94021970 | R1W      | 116 A8/B | W 9     | W 8 ; W 10         | 11.1 | 35.4 | 16.1 | 106.5 | TL   | 0    | E4-106R-00641   |
| 300/70 R 20 | STANDARD | 94021925 | R1W      | 120 A8/B | W 9     | W 10               | 11.6 | 37.5 | 16.9 | 112.4 | TL   | 0    | E4-106R-000643  |
| 320/70 R 20 | STANDARD | 94021932 | R1W      | 123 A8/B | W 10    | W 9 ; W 11         | 12.6 | 38.7 | 17.5 | 115.7 | TL   | 0    | E4-106R-000644  |
| 360/70 R 20 | STANDARD | 94021949 | R1W      | 129 A8/B | W 11    | W 10 ; W 12        | 14.1 | 41   | 18.5 | 122.9 | TL   | 0    | E4-106R-000647  |
| 380/70 R 20 | STANDARD | 94021987 | R1W      | 132 A8/B | W 12    | W 11 ; W 13        | 15   | 42.6 | 19   | 126.5 | TL   | 0    | E4-106R-00648   |
| 320/70 R 24 | SPECIAL  | 94063154 | R1W      | 116 D    | W 10    | W 9 ; W 11         | 12.6 | 43.1 | 19.8 | 127.8 | TL   | 0    | E11-106R-005827 |
| 320/70 R 24 | STANDARD | 94063031 | R1W      | 116 D    | W 10    | W 9 ; W 11         | 12.6 | 43.1 | 19.8 | 127.8 | TL   | 0    | E11-106R-005827 |
| 360/70 R 24 | SPECIAL  | 94063130 | R1W      | 122 D    | W 11    | W 10 ; W 12        | 14.1 | 45.4 | 20.4 | 133.7 | TL   | 1    | E11-106R-005824 |
| 360/70 R24  | STANDARD | 94063017 | R1W      | 122 D    | W 11    | W 10 ; W 12        | 14.1 | 45.4 | 20.4 | 133.7 | TL   | 0    | E11-106R-005824 |
| 380/70 R 24 | SPECIAL  | 94062614 | R1W      | 125 D    | W 12    | W 11 ; W 13        | 15   | 46.9 | 21.2 | 140.2 | TL   | 1    | E11-106R-005767 |
| 380/70 R 24 | STANDARD | 94062607 | R1W      | 125 D    | W 12    | W 11 ; W 13        | 15   | 46.9 | 21.2 | 140.2 | TL   | 0    | E11-106R-005767 |
| 420/70 R 24 | SPECIAL  | 94063147 | R1W      | 130 D    | W 13    | W 12 ; W 14 L      | 16.5 | 49.1 | 21.8 | 144.9 | TL   | 0    | E11-106R-005826 |
| 420/70 R 24 | SPECIAL  | 94063277 | R1W      | 134 D    | W 13    | W 12 ; W 14 L      | 16.5 | 49.1 | 21.8 | 144.9 | TL   | 1    | E11-106R-005825 |
| 420/70 R 24 | STANDARD | 94063024 | R1W      | 130 D    | W 13    | W 12 ; W 14 L      | 16.5 | 49.1 | 21.8 | 144.9 | TL   | 0    | E11-106R-005826 |
| 420/70 R 24 | STANDARD | 94063260 | R1W      | 134 D    | W 13    | W 12 ; W 14 L      | 16.5 | 49.1 | 21.8 | 144.9 | TL   | 0    | E11-106R-005825 |
| 480/70 R 24 | SPECIAL  | 94062270 | R1W      | 138 D    | W 15 L  | W 14 L ; W 16 L    | 18.9 | 51.8 | 22.8 | 153.3 | TL   | 0    | E11-106R-005519 |
| 480/70 R 24 | STANDARD | 94062195 | R1W      | 138 D    | W 15 L  | W 14 L ; W 16 L    | 18.9 | 51.8 | 22.8 | 153.3 | TL   | 0    | E11-106R-005519 |
| 360/70 R 28 | SPECIAL  | 94063161 | R1W      | 125 D    | W 11    | W 10 ; W 12        | 14.1 | 49.3 | 22.8 | 148.3 | TL   | 0    | E11-106R-005828 |
| 360/70 R 28 | STANDARD | 94063048 | R1W      | 125 D    | W 11    | W 10 ; W 12        | 14.1 | 49.3 | 22.8 | 148.3 | TL   | 0    | E11-106R-005828 |
| 380/70 R 28 | SPECIAL  | 94063178 | R1W      | 127 D    | W 12    | W 11 ; W 13        | 15   | 50.9 | 23.1 | 152.9 | TL   | 0    | E11-106R-005829 |
| 380/70 R    | STANDARD | 94063055 | R1W      | 127 D    | W 12    | W 11 ; W 13        | 15   | 50.9 | 23.1 | 152.9 | TL   | 0    | E11-106R-       |

|                |              |          |     |              |         |                   |      |      |      |       |    |   |                 |
|----------------|--------------|----------|-----|--------------|---------|-------------------|------|------|------|-------|----|---|-----------------|
| 28             |              |          |     |              |         |                   |      |      |      |       |    |   | 005829          |
| 420/70 R<br>28 | SPECIAL      | 94062263 | R1W | 133 D        | W 13    | W 12 ; W 14 L     | 16.5 | 53.1 | 23.8 | 158.3 | TL | 0 | E11-106R-005520 |
| 420/70 R<br>28 | STANDARD     | 94062171 | R1W | 133 D        | W 13    | W 12 ; W 14 L     | 16.5 | 53.1 | 23.8 | 158.3 | TL | 0 | E11-106R-005520 |
| 480/70 R<br>28 | SPECIAL      | 94062287 | R1W | 140 D        | W 15 L  | W 14 L ; W 16 L   | 18.9 | 55.9 | 25   | 164.8 | TL | 0 | E11-106R-005521 |
| 480/70 R<br>28 | STANDARD     | 94062201 | R1W | 140 D        | W 15 L  | W 14 L ; W 16 L   | 18.9 | 55.9 | 25   | 164.8 | TL | 0 | E11-106R-005521 |
| 600/70 R<br>28 | STANDARD     | 94067251 | R1W | 157 D        | DW 18 L | DW 20 B           | 23.3 | 61.1 | 27.4 | 184.7 | TL | 0 | E11-106R-006861 |
| 420/70 R<br>30 | SPECIAL      | 94063185 | R1W | 134 D        | W 13    | W 12 ; W 14 L     | 16.5 | 55   | 24.8 | 164.3 | TL | 0 | E11-106R-005830 |
| 420/70 R<br>30 | STANDARD     | 94063062 | R1W | 134 D        | W 13    | W 12 ; W 14 L     | 16.5 | 55   | 24.8 | 164.3 | TL | 0 | E11-106R-005830 |
| 480/70 R<br>30 | SPECIAL      | 94062294 | R1W | 141 D        | W 15 L  | W 14 L ; W 16 L   | 18.9 | 58.2 | 25.9 | 172.1 | TL | 0 | E11-106R-005522 |
| 480/70 R<br>30 | STANDARD     | 94062218 | R1W | 141 D        | W 15 L  | W 14 L ; W 16 L   | 18.9 | 58.2 | 25.9 | 172.1 | TL | 0 | E11-106R-005522 |
| 600/70 R<br>30 | SPECIAL      | 94062331 | R1W | 152 D        | DW 20 B | DW 18 L ; W 18 L  | 24.1 | 63.1 | 28   | 188   | TL | 0 | E11-106R-005523 |
| 600/70 R<br>30 | STANDARD     | 94062256 | R1W | 152 D        | DW 20 B | DW 18 L ; W 18 L  | 24.1 | 63.1 | 28   | 188   | TL | 0 | E11-106R-005523 |
| 480/70 R<br>34 | SPECIAL      | 94062300 | R1W | 149 D        | W 15 L  | W 14 L ; W 16 L   | 18.9 | 62.2 | 28   | 187.9 | TL | 0 | E11-106R-005524 |
| 480/70 R<br>34 | SPECIAL      | 94063284 | R1W | 155 D        | W 15 L  | W 14 L ; W 16 L   | 18.9 | 62.2 | 28.7 | 188.5 | TL | 0 | E11-106R-005834 |
| 480/70 R<br>34 | STANDARD     | 94062225 | R1W | 149 D        | W 15 L  | W 14 L ; W 16 L   | 18.9 | 62.2 | 28   | 187.9 | TL | 0 | E11-106R-005524 |
| 480/70 R<br>34 | STANDARD     | 94063109 | R1W | 155 D        | W 15 L  | W 14 L ; W 16 L   | 18.9 | 62.2 | 28.7 | 188.5 | TL | 0 | E11-106R-005834 |
| 520/70 R<br>34 | SPECIAL      | 94063192 | R1W | 148 D        | W 16 L  | W 15 L ; W 18 L   | 20.3 | 64.6 | 29.1 | 194   | TL | 0 | E11-106R-005831 |
| 520/70 R<br>34 | STANDARD     | 94063079 | R1W | 148 D        | W 16 L  | W 15 L ; W 18 L   | 20.3 | 64.6 | 29.1 | 194   | TL | 0 | E11-106R-005831 |
| 480/70 R<br>38 | SPECIAL      | 94063208 | R1W | 145 D        | W 15 L  | W 14 L ; W 16 L   | 18.9 | 66.2 | 30.1 | 199   | TL | 0 | E11-106R-005832 |
| 480/70 R<br>38 | STANDARD     | 94063086 | R1W | 145 D        | W 15 L  | W 14 L ; W 16 L   | 18.9 | 66.2 | 30.1 | 199   | TL | 0 | E11-106R-005832 |
| 520/70 R<br>38 | SPECIAL      | 94062317 | R1W | 150 D        | W 16 L  | W 15 L ; W 18 L   | 20.3 | 68.9 | 31.2 | 208.7 | TL | 0 | E11-106R-005525 |
| 520/70 R<br>38 | STANDARD     | 94062232 | R1W | 150 D        | W 16 L  | W 15 L ; W 18 L   | 20.3 | 68.9 | 31.2 | 208.7 | TL | 0 | E11-106R-005525 |
| 580/70 R<br>38 | SPECIAL      | 94062324 | R1W | 155 D        | W 18 L  |                   | 22.7 | 71.9 | 32.3 | 215.4 | TL | 0 | E11-106R-005526 |
| 580/70 R<br>38 | STANDARD     | 94062249 | R1W | 155 D        | W 18 L  |                   | 22.7 | 71.9 | 32.3 | 215.4 | TL | 0 | E11-106R-005526 |
| 580/70 R<br>38 | STEEL BELTED | 94038510 | R1W | 180 A8       | W 18 L  |                   | 22.7 | 71.9 | 32.3 | 216.7 | TL | 0 | E4-106R-000809  |
| 580/70 R<br>38 | STEEL BELTED | 94038510 | R1W | 180 D        | W 18 L  |                   | 22.7 | 71.9 | 32.3 | 216.7 | TL | 0 | E11-106R-005836 |
| 620/70 R<br>38 | SPECIAL      | 94063567 | R1W | 170 D        | DW 20 B | DW 18 L ; W 18 L  | 24.6 | 72.2 | 32.6 | 220.1 | TL | 0 | E11-106R-005997 |
| 620/70 R<br>38 | STANDARD     | 94063482 | R1W | 170 D        | DW 20 B | DW 18 L ; W 18 L  | 24.6 | 72.2 | 32.6 | 220.1 | TL | 0 | E11-106R-005997 |
| 650/75 R<br>38 | STANDARD     | 94063895 | R1W | 169 D        | DW 21 B | DW 20 B ; DW 23 B | 25.8 | 76.4 | 34.4 | 229.1 | TL | 0 | E11-106R-006161 |
| 710/70 R<br>38 | SPECIAL      | 94063536 | R1W | 175 D/178 A8 | DW 23 B |                   | 28.2 | 77.1 | 33.8 | 226.4 | TL | 0 | E11-106R-006000 |
| 710/70 R<br>38 | SPECIAL      | 94063222 | R1W | 166 D        | DW 23 B |                   | 28.2 | 77.1 | 33.8 | 226.4 | TL | 0 | E11-106R-005837 |
| 710/70 R<br>38 | STANDARD     | 94063499 | R1W | 175 D/178 A8 | DW 23 B |                   | 28.2 | 77.1 | 33.8 | 226.4 | TL | 0 | E11-106R-006000 |

|                    |          |          |     |              |         |             |      |      |      |       |    |   |                 |
|--------------------|----------|----------|-----|--------------|---------|-------------|------|------|------|-------|----|---|-----------------|
| <b>710/70 R 38</b> | STANDARD | 94066773 | R1W | 166 D        | DW 23 B |             | 28.2 | 77.1 | 33.8 | 226.4 | TL | 0 | E11-106R-005837 |
| <b>710/70 R 38</b> | STANDARD | 94066797 | R1W | 171D/174A8   | DW 23 B |             | 28.2 | 77.1 | 33.8 | 226.4 | TL | 0 | E11-106R-004072 |
| <b>620/70 R 42</b> | SPECIAL  | 94063215 | R1W | 160 D        | DW 20 B | DW 18 L     | 24.6 | 76.2 | 34.5 | 226.1 | TL | 0 | E11-106R-005835 |
| <b>620/70 R 42</b> | SPECIAL  | 94063543 | R1W | 166 D        | DW 20 B | DW 18 L     | 24.6 | 76.2 | 34.5 | 228.4 | TL | 0 | E11-106R-005998 |
| <b>620/70 R 42</b> | SPECIAL  | 94063369 | R1W | 173 D        | DW 20 B | DW 18 L     | 24.6 | 76.2 | 34.5 | 228.5 | TL | 0 | E11-106R-005833 |
| <b>620/70 R 42</b> | STANDARD | 94063116 | R1W | 160 D        | DW 20 B | DW 18 L     | 24.6 | 76.2 | 34.5 | 226.1 | TL | 0 | E11-106R-005835 |
| <b>620/70 R 42</b> | STANDARD | 94063505 | R1W | 166 D        | DW 20 B | DW 18 L     | 24.6 | 76.2 | 34.5 | 228.4 | TL | 0 | E11-106R-005998 |
| <b>620/70 R 42</b> | STANDARD | 94063093 | R1W | 173 D        | DW 20 B | DW 18 L     | 24.6 | 76.2 | 34.5 | 228.5 | TL | 0 | E11-106R-005833 |
| <b>650/75 R 42</b> | STANDARD | 94065493 | R1W | 170 D        | DW21B   | DW20B;DW23B | 25.8 | 80.4 | 36.1 | 242   | TL | 0 | E11-106R-006402 |
| <b>710/70 R 42</b> | SPECIAL  | 94063550 | R1W | 176 D/179 A8 | DW 23 B | DW 25 B     | 28.2 | 81.1 | 36.3 | 243.1 | TL | 1 | E11-106R-006001 |
| <b>710/70 R 42</b> | STANDARD | 94063512 | R1W | 176 D/179 A8 | DW 23 B | DW 25 B     | 28.2 | 81.1 | 36.3 | 243.1 | TL | 0 | E11-106R-006001 |
| <b>710/70 R 42</b> | STANDARD | 94033157 | R1W | 173 D/176 A8 | DW 23 B | DW 25 B     | 28.2 | 81.1 | 36.3 | 243.1 | TL | 0 | E4-106R-000807  |
| <b>620/70 R 46</b> | SPECIAL  | 94063574 | R1W | 162 D        | DW 20 B |             | 24.6 | 80.2 | 36.4 | 240.4 | TL | 1 | E11-106R-005999 |
| <b>620/70 R 46</b> | STANDARD | 94063529 | R1W | 162 D        | DW 20 B |             | 24.6 | 80.2 | 36.4 | 240.4 | TL | 0 | E11-106R-005999 |

Printed on 26.04.2024 22:56

All product data contained in this publication are for information purposes only and may be modified at any time without prior notice. Balkrishna Industries Ltd. or any of its subsidiary companies does not undertake any responsibility or liability for undetected errors and/or misprints. All rights reserved. The materials and contents of this publication and the website are the exclusive property of Balkrishna Industries Ltd. and are protected by industrial and/or intellectual property laws. The user is not permitted to copy, reproduce, transfer, upload, make use of, publish or spread any contents, in whole or in part, on paper format, electronic format or otherwise without prior written consent by Balkrishna Industries Ltd..