

AGRIMAX RT 855 - Ficha técnica



Description

AGRIMAX RT 855 es un neumático que se distingue por su excelente tracción y confort. Ha sido desarrollado principalmente para el laboreo del suelo y el transporte tanto en el campo como por la carretera; algunos tamaños son adecuados también para las actividades de pulverización y de vendimia. AGRIMAX RT 855 posee óptimas características de auto-limpieza que permiten cambiar rápidamente su uso del campo a la carretera.

UM

US Standard

Construction

 RADIAL

Machinery

Agricultura: Pulverizador • Tractor • Vendimiadora

SIZE	Version	USACode	TRA Code	LI/SS	LI/SS FREE ROLLING	RIM REC	RIM ALT	SW	OD	SLR	RC	Type	TMPH	ECE
180/95 R 16 (6.50 R 16)	STANDARD	94039210	R1W	105 A8/B		5.5 F	6.0 F	7.3	29.9	13.4	89.2	TL	0	E4-106R-000756
210/95 R 16 (7.50 R 16)	IMPLEMENT	94069965	R1W	116A8	116 A8	W 7	W 6 ; 6 LB	8.4	31.7	13.8	92.6	TL	0	E11-106R-006625
210/95 R 16 (7.50 R 16)	STANDARD	94028665	R1W	106 A8/B		W 7	W 6 ; 6 LB	8.4	31.7	14.2	94	TL	0	E4-106R-000608
210/95 R 18 (7.50 R 18)	IMPLEMENT	94069804	R1W		122 A8	W 7	W 6	8.4	33.7	14.9	101	TL	0	E11-106R-007207
210/95 R 18 (7.50 R 18)	STANDARD	94028672	R1W	108 A8/B		W 7	W 6	8.4	33.7	15.2	101	TL	0	E4-106R-00634
250/80 R 18	STANDARD	94066131	R1W	125 A8/125 B		W 8	W 7 ; W 9	9.8	32.9	14.8	100	TL	0	E11-106R-006605
210/90 R 20 (8.3 R 20)	STANDARD	94033621	R1W	110 A8/B		W 7	W 6	8.3	35	16.2	105.6	TL	0	E4-106R-001817
210/95 R 20 (7.50 R 20)	STANDARD	94043804	R1W	110 A8/B		W 7	W 6	8.4	35.7	16.5	108.2	TL	0	E4-106R-000637
250/85 R 20 (9.5 R 20)	STANDARD	94027460	R1W	116 A8/B		W 8	W 7 ; W 9	9.8	37	16.7	110.7	TL	0	E4-106R-000639
280/85 R 20 (11.2 R 20)	STANDARD	94072927	R1W	122 A8/B		W 10	W 9	11.5	38.7	17.6	117.2	TL	0	E11-106R-007936
280/85 R 20 (11.2 R 20)	STANDARD	94021918	R1W	112 A8/B		W 10	W 9	11.5	38.7	17.4	116.2	TL	0	E4-106R-000642
320/85 R 20 (12.4 R 20)	STANDARD	94021963	R1W	119 A8/B		W 11	W 9 ; W 10	13	41.4	18.4	122	TL	0	E4-106R-000645
250/85 R 22	SPECIAL	94062058	R1W	113 A8/B		W 8	W 7	9.9	38.8	17.8	116.7	TL	1	E11-106R-002973
250/85 R 22 (9.5 R 22)	STANDARD	94049332	R1W	113 A8/B		W 8	W 7	9.9	38.8	17.8	116.7	TL	0	E11-106R-002973
250/85 R 24 (9.5 R 24)	SPECIAL	94046751	R1W	109 A8/B		W 8	W 7 ; W 9	9.9	40.8	18.7	122.2	TL	0	E4-106R-000638
250/85 R 24 (9.5 R 24)	STANDARD	94028177	R1W	109 A8/B		W 8	W 7 ; W 9	9.9	40.8	18.7	122.2	TL	0	E4-106R-000638
280/85 R 24 (11.2 R 24)	SPECIAL	94044658	R1W	115 A8/B		W 10	W 9	11.5	42.8	19.4	126.9	TL	0	E4-106R-000611
280/85 R 24 (11.2 R 24)	STANDARD	94021536	R1W	115 A8/B		W 10	W 9	11.5	42.8	19.4	126.9	TL	0	E4-106R-000611

320/85 R 24 (12.4 R 24)	SPECIAL	94044665	R1W	122 A8/B	W 11	W 9 ; W 10	13	45.4	20.4	134.8	TL	0	E4-106R-000613
320/85 R 24 (12.4 R 24)	STANDARD	94021550	R1W	122 A8/B	W 11	W 9 ; W 10	13	45.4	19.3	134.8	TL	0	E4-106R-000613
340/85 R 24 (13.6 R 24)	SPECIAL	94043972	R1W	125 A8/B	W 12	W 11	13.9	46.8	20.9	139.4	TL	0	E4-106R-000604
340/85 R 24 (13.6 R 24)	STANDARD	94021581	R1W	125 A8/B	W 12	W 11	13.9	46.8	20.9	139.4	TL	0	E4-106R-000604
380/85 R 24 (14.9 R 24)	SPECIAL	94044672	R1W	131 A8/B	W 12	W 11 ; W 13	15	49.4	21.8	146.5	TL	0	E4-106R-000592
380/85 R 24 (14.9 R 24)	STANDARD	94021635	R1W	131 A8/B	W 12	W 11 ; W 13	15	49.4	21.8	146.5	TL	0	E4-106R-000592
420/85 R 24 (16.9 R 24)	SPECIAL	94047482	R1W	137 A8/B	W 15 L	W 14 L ; W 13	17.7	52.1	22.9	153.5	TL	0	E4-106R-000595
420/85 R 24 (16.9 R 24)	STANDARD	94029556	R1W	137 A8/B	W 15 L	W 14 L ; W 13	17.7	52.1	22.9	153.5	TL	0	E4-106R-000595
250/85 R 28 (9.5 R 28)	SPECIAL	94047666	R1W	112 A8/B	W 8	W 7 ; W 9	9.9	44.8	20.4	134.7	TL	0	E4-106R-000646
250/85 R 28 (9.5 R 28)	STANDARD	94037520	R1W	112 A8/B	W 8	W 7 ; W 9	9.9	44.8	20.4	134.7	TL	0	E4-106R-000646
280/85 R 28 (11.2 R 28)	SPECIAL	94047499	R1W	118 A8/B	W 10	W 9	11.5	46.7	21.5	140.1	TL	0	E4-106R-000614
280/85 R 28 (11.2 R 28)	STANDARD	94021543	R1W	118 A8/B	W 10	W 9	11.5	46.7	21.5	140.1	TL	0	E4-106R-000614
320/85 R 28 (12.4 R 28)	SPECIAL	94047352	R1W	124 A8/B	W 11	W 9 ; W 10	13	49.4	22.4	147.4	TL	0	E4-106R-000615
320/85 R 28 (12.4 R 28)	STANDARD	94021574	R1W	124 A8/B	W 11	W 9 ; W 10	13	49.4	22.4	147.4	TL	0	E4-106R-000615
340/85 R 28 (13.6 R 28)	SPECIAL	94044252	R1W	127 A8/B	W 12	W 11	13.9	50.7	23.1	153.1	TL	0	E4-106R-000593
340/85 R 28 (13.6 R 28)	STANDARD	94073269	R1W	139 A8/B	W 12	W 11	13.9	51.8	23.7	156	TL	0	E11-106R-008233
340/85 R 28 (13.6 R 28)	STANDARD	94021611	R1W	127 A8/B	W 12	W 11	13.9	50.7	23.1	153.1	TL	0	E4-106R-000593
380/85 R 28 (14.9 R 28)	SPECIAL	94043798	R1W	133 A8/B	W 12	W 11 ; W 13	15	53.4	23.9	158.1	TL	0	E4-106R-000597
380/85 R 28 (14.9 R 28)	STANDARD	94021666	R1W	133 A8/B	W 12	W 11 ; W 13	15	53.4	23.9	158.1	TL	0	E4-106R-000597
420/85 R 28	SPECIAL	94046768	R1W	139 A8/B	W 15 L	W 13 ; W 14 L	17.2	56.1	25.1	167	TL	0	E4-106R-

(16.9 R
28)

000602

420/85 R 28 (16.9 R 28)	STANDARD	94021710	R1W	139 A8/B	W 15 L	W 13 ; W 14 L	17.2	56.1	25.1	167	TL	0	E4- 106R- 000602
380/85 R 30 (14.9 R 30)	SPECIAL	94033096	R1W	135 A8/B	W 12	W 11 ; W 13	15	55.4	24.9	165	TL	0	E4- 106R- 000594
380/85 R 30 (14.9 R 30)	STANDARD	94021680	R1W	135 A8/B	W 12	W 11 ; W 13	15	55.4	24.9	165	TL	0	E4- 106R- 000594
420/85 R 30 (16.9 R 30)	SPECIAL	94033126	R1W	140 A8/B	W 15 L	W 13 ; W 14 L	17.2	58.1	26	174.1	TL	0	E4- 106R- 000654
420/85 R 30 (16.9 R 30)	STANDARD	94021734	R1W	140 A8/B	W 15 L	W 13 ; W 14 L	17.2	58.1	26	174.1	TL	0	E4- 106R- 000654
460/85 R 30 (18.4 R 30)	SPECIAL	94046775	R1W	145 A8/B	W 16 L	W 14 L ; W 15 L	18.7	60.8	26.8	179.6	TL	0	E4- 106R- 000774
460/85 R 30 (18.4 R 30)	STANDARD	94047765	R1W	156 A8/B	W 16 L	W 14 L ; W 15 L	18.7	60.8	26.8	179.6	TL	0	E11- 106R- 007812
460/85 R 30 (18.4 R 30)	STANDARD	94021765	R1W	145 A8/B	W 16 L	W 14 L ; W 15 L	18.7	60.8	26.8	179.6	TL	0	E4- 106R- 000774
320/85 R 32 (12.4 R 32)	SPECIAL	94047475	R1W	126 A8/B	W 11	W 9 ; W 10	13	53.4	24.4	160.7	TL	0	E4- 106R- 000758
320/85 R 32 (12.4 R 32)	STANDARD	94021598	R1W	126 A8/B	W 11	W 9 ; W 10	13	53.4	24.4	160.7	TL	0	E4- 106R- 000758
320/85 R 34 (12.4 R 34)	SPECIAL	94047239	R1W	141 A8/B	W 11	W 9 ; W 10	13	55.4	25.4	168.5	TL	0	E4- 106R- 000758
320/85 R 34 (12.4 R 34)	STANDARD	94040414	R1W	141 A8/B	W 11	W 9 ; W 10	13	55.4	25.4	168.5	TL	0	E4- 106R- 001395
380/85 R 34 (14.9 R 34)	SPECIAL	94033102	R1W	137 A8/B	W 12	W 11 ; W 13	15	59.4	26.9	177.3	TL	0	E4- 106R- 000655
380/85 R 34 (14.9 R 34)	STANDARD	94021697	R1W	137 A8/B	W 12	W 11 ; W 13	15	59.4	26.9	177.3	TL	0	E4- 106R- 000655
420/85 R 34 (16.9 R 34)	SPECIAL	94033133	R1W	142 A8/B	W 15 L	W 13 ; W 14 L	17.2	62.1	27.9	185.1	TL	0	E4- 106R- 000656
420/85 R 34 (16.9 R 34)	STANDARD	94021741	R1W	142 A8/B	W 15 L	W 13 ; W 14 L	17.2	62.1	27.9	185.1	TL	0	E4- 106R- 000656
420/85 R 34 (16.9 R 34)	STANDARD	94058532	R1W	147 A8/B	W 15 L	W 13 ; W 14 L	17.2	62.1	28.7	188.3	TL	0	E11- 106R- 005179
460/85 R 34 (18.4 R 34)	SPECIAL	94046782	R1W	147 A8/B	W 16 L	W 14 L ; W 15 L	18.7	64.8	28.4	191.5	TL	0	E4- 106R- 000632
460/85 R 34 (18.4 R 34)	STANDARD	94021772	R1W	147 A8/B	W 16 L	W 14 L ; W 15 L	18.7	64.8	28.4	191.5	TL	0	E4- 106R- 000632

460/85 R 34 (18.4 R 34)	STANDARD	94047772	R1W	158 A8/B	W 16 L	W 14 L ; W 15 L	18.7	64.8	28.4	191.5	TL	0	E11- 106R- 006759
320/85 R 36 (12.4 R 36)	SPECIAL	94033065	R1W	128 A8/B	W 11	W 9 ; W 10	13	57.4	26.5	173.4	TL	0	E4- 106R- 000762
320/85 R 36 (12.4 R 36)	STANDARD	94021628	R1W	128 A8/B	W 11	W 9 ; W 10	13	57.4	26.5	173.4	TL	0	E4- 106R- 000762
320/85 R 36	STANDARD	94052691	R1W	147 D/150 A8	W 11	W 9 ; W 10	13	57.4	26.5	173.4	TL	0	E11- 106R- 003511
340/85 R 36 (13.6 R 36)	SPECIAL	94033089	R1W	132 A8/B	W 12	W 11	13.9	58.7	27.1	177.4	TL	0	E4- 106R- 000763
340/85 R 36 (13.6 R 36)	STANDARD	94021642	R1W	132 A8/B	W 12	W 11	13.9	58.7	27.1	177.4	TL	0	E4- 106R- 000763
320/85 R 38 (12.4 R 38)	SPECIAL	94047543	R1W	143 A8/B	W 11	W 9 ; W 10 ; DW 10	13	59.4	27.6	180.3	TL	0	E4- 106R- 000781
320/85 R 38 (12.4 R 38)	STANDARD	94039593	R1W	143 A8/B	W 11	W 9 ; W 10 ; DW 10 ; DW11	13	59.4	27.6	180.3	TL	0	E4- 106R- 000781
340/85 R 38 (13.6 R 38)	SPECIAL	94033072	R1W	133 A8/B	W 12	W 11	13.9	60.7	28	183.8	TL	0	E4- 106R- 000766
340/85 R 38 (13.6 R 38)	STANDARD	94021673	R1W	133 A8/B	W 12	W 11	13.9	60.7	28	183.8	TL	0	E4- 106R- 000766
380/85 R 38 (14.9 R 38)	SPECIAL	94033119	R1W	139 A8/B	W 12	W 11 ; W 13	15	63.4	29	190.6	TL	0	E4- 106R- 000660
380/85 R 38 (14.9 R 38)	STANDARD	94030552	R1W	139 A8/B	W 12	W 11 ; W 13	15	63.4	29	190.6	TL	0	E4- 106R- 000660
420/85 R 38 (16.9 R 38)	SPECIAL	94033140	R1W	144 A8/B	W 15 L	W 13 ; W 14 L	17.2	66.1	30	197.4	TL	0	E4- 106R- 000661
420/85 R 38 (16.9 R 38)	STANDARD	94021758	R1W	144 A8/B	W 15 L	W 13 ; W 14 L	17.2	66.1	30	197.4	TL	0	E4- 106R- 000661
460/85 R 38 (18.4 R 38)	SPECIAL	94033164	R1W	149 A8/B	W 16 L	W 14 L ; W 15 L	18.7	68.8	30.9	204.9	TL	0	E4- 106R- 000618
460/85 R 38 (18.4 R 38)	STANDARD	94021789	R1W	149 A8/B	W 16 L	W 14 L ; W 15 L	18.7	68.8	30.9	204.9	TL	0	E4- 106R- 000618
480/80 R 38 (18.4 R 38)	STANDARD	94045341	R1W	149 A8/B	DW 16 L	W 14 L ; W 15 L	18.7	68.8	30.9	203.2	TL	0	E4- 106R- 001822
520/85 R 38 (20.8 R 38)	SPECIAL	94047536	R1W	155 A8/B	DW 16 L	DW 18 L ; DD 16 L	20.3	72.8	32	215.2	TL	0	E4- 106R- 000601
520/85 R 38	SPECIAL	94061952	R1W	170 A8/B	DW 16 L	DW 18 L ; DD 16 L	20.3	72.8	33.3	220.3	TL	1	E4- 106R- 001411
520/85 R 38 (20.8 R	STANDARD	94021802	R1W	155 A8/B	DW 16 L	DW 18 L ; DD 16 L	20.3	72.8	32	215.2	TL	0	E4- 106R- 000601

38)														
520/85 R 38 (20.8 R 38)	STANDARD	94038374	R1W	170 A8/B		DW 16 L	DW 18 L ; DD 16 L	20.3	72.8	33.3	220.3	TL	0	E4-106R-001411
480/80 R 42 (18.4 R 42)	STANDARD	94021796	R1W	151 A8/B		W 16 A ; DD 16 ; DW 16 A	DD 16 L ; DW 16 L ; W 16 L	18.9	72.2	32.9	216.3	TL	0	E4-106R-000791
520/85 R 42 (20.8 R 42)	SPECIAL	94060122	R1W	157 A8/B		DW 16 L ; W 16 A ; DD 16	DW 18 A ; DD 18 ; W 18 A ; DD 18 L	20.3	76.8	33.8	227.6	TL	0	E4-106R-000792
520/85 R 42 (20.8 R 42)	SPECIAL	94060139	R1W	167 A8/B		DW 16 L ; W 16 A ; DD 16	DW 18 A ; DD 18 ; W 18 A ; DD 18 L	20.3	76.8	33.8	227.6	TL	0	E4-106R-001491
520/85 R 42 (20.8 R 42)	STANDARD	94021819	R1W	157 A8/B		DW 16 L ; W 16 A ; DD 16	DW 18 A ; DD 18 ; W 18 A ; DD 18 L	20.3	76.8	33.8	227.6	TL	0	E4-106R-000792
520/85 R 42 (20.8 R 42)	STANDARD	94040513	R1W	167 A8/B		DW 16 L ; W 16 A ; DD 16	DW 18 A ; DD 18 ; W 18 A ; DD 18 L	20.3	76.8	33.8	227.6	TL	0	E4-106R-001491
420/80 R 46 (16.9 R 46)	SPECIAL	94062065	R1W	159 D/170 A2		W 13	W 12	16.5	72.4	34	222.1	TL	1	E4-106R-001489
420/80 R 46 (16.9 R 46)	STANDARD	94046089	R1W	151 D/162 A2		W 13	W 12	16.5	72.4	34	222.1	TL	0	E4-106R-001730
420/80 R 46 (16.9 R 46)	STANDARD	94046072	R1W	159 D/170 A2		W 13	W 12	16.5	72.4	34	222.1	TL	0	E4-106R-001489
480/80 R 46 (18.4 R 46)	STANDARD	94021826	R1W	158 A8/B		DW 16 A ; W 16 A ; DD 16	W 16 L ; DD 16 L ; DW 16 L	18.9	76.2	35.2	231.1	TL	0	E4-106R-001731
480/80 R 46 (18.4 R 46)	STANDARD	94040537	R1W	164 A8/B		DW 16 A ; W 16 A ; DD 16	W 16 L ; DD 16 L ; DW 16 L	18.9	76.2	35.2	231.1	TL	0	E4-106R-000798
520/85 R 46	SPECIAL	94062072	R1W	158 A8/B		DW 16 L ; W 16 A ; W 16 L ; DD 16	DW 18 L ; W 18 L ; W 18 A	20.3	80.8	36.6	242.4	TL	1	E4-106R-001415
520/85 R 46 (20.8 R 46)	STANDARD	94030569	R1W	158 A8/B		DW 16 L ; W 16 A ; W 16 L ; DD 16	DW 18 L ; W 18 L ; W 18 A	20.3	80.8	36.6	242.4	TL	0	E4-106R-001415
520/85 R 46 (20.8 R 46)	STANDARD	94040544	R1W	173 A8/B		DW 16 L ; W 16 A ; W 16 L ; DD 16	DW 18 L ; W 18 L ; W 18 A	20.3	80.8	38	248.4	TL	0	E4-106R-001494
420/80 R 50 (16.9 R 50)	STEEL BELTED	94075508	R1W	165 A8/B		W 13	W 12	16.5	76.8	36	234.4	TL	0	E11-106R-0010078
480/80 R 50 (18.4 R 50)	STANDARD	94029914	R1W	159 A8/B		DW 16 L	DW 15 L ; W 15 L	19.3	80.2	37	243.4	TL	0	E4-106R-001486
480/80 R 50 (18.4 R 50)	STEEL BELTED	94045358	R1W	176 A8		DW 16 L	DW 15 L ; W 15 L	19.3	80.2	37.2	243.4	TL	0	E4-106R-001495
520/85 R 50 (20.8 R 50)	STANDARD	94057993	R1W	165 A8/B		DW 16 L	DW 18 L	20.3	84.8	39.1	254.8	TL	0	E11-106R-004895

All product data contained in this publication are for information purposes only and may be modified at any time without prior notice. Balkrishna Industries Ltd. or any of its subsidiary companies does not undertake any responsibility or liability for undetected errors and/or misprints. All rights reserved. The materials and contents of this publication and the website are the exclusive property of Balkrishna Industries Ltd. and are protected by industrial and/or intellectual property laws. The user is not permitted to copy, reproduce, transfer, upload, make use of, publish or spread any contents, in whole or in part, on paper format, electronic format or otherwise without prior written consent by Balkrishna Industries Ltd..