

AS 504 - Ficha técnica



Description

AS 504 es un neumático agro-industrial desarrollado principalmente para los trabajos del campo y aplicaciones con maquinaria agrícola y en la manipulación de materiales. Este neumático, caracterizado por excelentes propiedades de auto limpieza y agarre potenciado, es idóneo para los remolques en el campo y los elevadores telescópicos. Hay disponibles varias versiones del neumático AS 504 para satisfacer las diferentes exigencias específicas del usuario: una versión "HD" con una mezcla especial resistente a los cortes y los desgarres, mientras que la versión "special" está realizada con una carcasa reforzada que asegura una vida más larga del neumático.

UM

International Standard

Construction

 BIAS

Machinery

Agricultura: Elevador telescópico • Ewamolque para campos
Industrial: Elevador telescópico

| SIZE | Version | LI/SS | LI/SS DRIVE WHEEL | LI/SS FREE ROLLING | PR | RIM REC | RIM ALT | SW | OD | SLR | RC | SRI | Type | TKPH | ECE |
|-----------------|------------------|--------|-------------------|--------------------|----|----------|--------------------------|-----|-----|-----|------|-----|------|------|-----------------|
| 10.0/80 - 12 | STANDARD | | 109 A8 | 121 A8 | | 9.00 | 7.0 | 270 | 730 | 335 | 2233 | | TL | | E11-106R-006010 |
| 11.0/65 - 12 | STANDARD | | 101 A8 | 114 A8 | 8 | 9.00 | | 273 | 700 | 321 | 2072 | | TT | | E4-106R-002834 |
| 11.0/65 - 12 | STANDARD | | 101 A8 | 114 A8 | 8 | 9.00 | | 273 | 700 | 321 | 2072 | | TL | | E4-106R-002834 |
| 26 X 12.00 - 12 | STANDARD | 112 A6 | | | | 10.50 AT | 8.0 AT ; 8.5 AT ; 9.0 AT | 310 | 648 | 298 | 1932 | | TL | | |
| 6.5/80 - 12 | HD | | 80 A8 | 93 A8 | 6 | 5 J | 5 JA | 169 | 608 | 283 | 1836 | | TT | 0 | E11-106R-004088 |
| 6.5/80 - 12 | STANDARD | | 72 A8 | 84 A8 | 4 | 5 J | 5 JA | 169 | 608 | 283 | 1836 | | TT | | E11-106R-003440 |
| 6.5/80 - 12 | STANDARD | | 72 A8 | 84 A8 | 4 | 5 J | 5 JA | 169 | 608 | 283 | 1836 | | TL | | E11-106R-003440 |
| 6.5/80 - 12 | STANDARD | | 80 A8 | 93 A8 | 6 | 5 J | 5 JA | 169 | 608 | 283 | 1836 | | TT | | E4-106R-002180 |
| 6.5/80 - 12 | STANDARD | | 80 A8 | 93 A8 | 6 | 5 J | 5 JA | 169 | 608 | 283 | 1836 | | TL | | E4-106R-002180 |
| 7.00 - 12 | ARAMID BELTED | | 88 A8 | 100 A8 | 8 | 4.5 | | 187 | 683 | 311 | 2049 | | TL | | E11-106R-003382 |
| 7.00 - 12 | SPECIAL | | 88 A8 | 100 A8 | 8 | 4.5 | | 187 | 683 | 311 | 2049 | | TL | | E11-106R-003382 |
| 7.00 - 12 | STANDARD | | 83 A8 | 95 A8 | 6 | 4.5 | | 187 | 683 | 300 | 2001 | | TT | 1 | |
| 7.00 - 12 | STANDARD | | 75 A8 | 88 A8 | 4 | 4.5 | | 187 | 683 | 311 | 2049 | | TT | | E4-106R-002207 |
| 7.00 - 12 | STANDARD | | 75 A8 | 88 A8 | 4 | 4.5 | | 187 | 683 | 311 | 2049 | | TL | | E4-106R-002207 |
| 7.00 - 12 | STANDARD | | 83 A8 | 95 A8 | 6 | 4.5 | | 187 | 683 | 311 | 2049 | | TL | 0 | E4-106R-001956 |
| 400/50 - 15 | STANDARD | | 109 A8 | 121 A8 | | 13 LB | | 395 | 790 | 369 | 2387 | | TL | | E11-106R-005494 |
| 5.00 - 15 | STANDARD | | 75 A8 | 88 A8 | 6 | 3.50 D | 3.00 D ; 4.00 E ; 4 J | 140 | 657 | 308 | 1957 | 310 | TT | | E4-106R-001950 |
| 5.00 - 15 | STANDARD | | 75 A8 | 88 A8 | 6 | 3.50 D | 3.00 D ; 4.00 E ; 4 J | 140 | 657 | 308 | 1957 | 310 | TL | | E4-106R-001950 |
| 5.00 - 15 | STANDARD | | 67 A8 | 79 A8 | 4 | 3.50 D | 3.00 D ; 4.00 E ; 4 J | 140 | 657 | 308 | 1957 | 310 | TT | | E11-106R-004237 |
| 7.5L - 15 | ARAMID BELTED HD | | 100 A8 | 113 A8 | 8 | 6 LB | 5 K ; 5½ J ; 5½ K | 210 | 765 | 354 | 2280 | | TL | | E11-106R-004239 |
| 7.5L - 15 | HD | | 100 A8 | 113 A8 | 8 | 6 LB | 5 K ; 5½ J ; 5½ K | 210 | 765 | 354 | 2280 | | TT | | E11-106R-004240 |
| 7.5L - 15 | STANDARD | | 100 A8 | 113 A8 | 8 | 6 LB | 5 K ; 5½ J ; 5½ K | 210 | 765 | 354 | 2280 | | TT | | E4-106R-002632 |
| 7.5L - 15 | STANDARD | | 100 A8 | 113 A8 | 8 | 6 LB | 5 K ; 5½ J ; 5½ K | 210 | 765 | 354 | 2280 | | TL | | E4-106R- |

| | | | | | | | | | | | | | | | | | | |
|-----------------------------------|-------------------|--------|--------|----|--------|--|-----|-----|-----|------|-----|----|---|--|--|--|--|-----------------|
| | | | | | | | | | | | | | | | | | | 002632 |
| 7.5L - 15 | STANDARD | 97 A8 | 109 A8 | 6 | 6 LB | 5 K ; 5½ J ; 5½ K | 210 | 765 | 354 | 2280 | | TT | | | | | | E11-106R-004238 |
| 10.0/75 - 15.3 | INDUSTRIAL | 106 A8 | 119 A8 | 8 | 9.00 | | 264 | 785 | 360 | 2404 | 360 | TL | | | | | | |
| 10.0/75 - 15.3 | STANDARD | 106 A8 | 119 A8 | 8 | 9.00 | | 264 | 785 | 360 | 2404 | 360 | TT | | | | | | E11-106R-003509 |
| 10.0/75 - 15.3 | STANDARD | 106 A8 | 119 A8 | 8 | 9.00 | | 264 | 785 | 360 | 2404 | 360 | TL | | | | | | E11-106R-003509 |
| 10.0/75 - 15.3 | STANDARD | 111 A8 | 123 A8 | 10 | 9.00 | | 264 | 785 | 360 | 2404 | 360 | TL | | | | | | E4-106R-001812 |
| 10.0/75 - 15.3 | STANDARD | 118 A8 | 130 A8 | 14 | 9.00 | | 264 | 785 | 360 | 2404 | 360 | TL | | | | | | E4-106R-001545 |
| 10.0/75 - 15.3 | STANDARD | 123 A8 | 135 A8 | 18 | 9.00 | | 264 | 785 | 360 | 2404 | 360 | TT | | | | | | E4-106R-001823 |
| 10.0/75 - 15.3 | STANDARD | 123 A8 | 135 A8 | 18 | 9.00 | | 264 | 785 | 360 | 2404 | 360 | TL | | | | | | E4-106R-001823 |
| 11.5/80 - 15.3 | STANDARD | 123 A8 | 135 A8 | 12 | 9.00 | | 290 | 867 | 380 | 2540 | 410 | TT | | | | | | E4-106R-001894 |
| 11.5/80 - 15.3 | STANDARD | 123 A8 | 135 A8 | 12 | 9.00 | | 290 | 867 | 380 | 2540 | 410 | TL | | | | | | E4-106R-001894 |
| 11.5/80 - 15.3 | STANDARD | 126 A8 | 139 A8 | 14 | 9.00 | | 290 | 867 | 380 | 2540 | 410 | TT | | | | | | E11-106R-003510 |
| 11.5/80 - 15.3 | STANDARD | 126 A8 | 139 A8 | 14 | 9.00 | | 290 | 867 | 380 | 2540 | 410 | TL | | | | | | E11-106R-003510 |
| 11.5/80 - 15.3 | STANDARD | 114 A8 | 126 A8 | 8 | 9.00 | | 290 | 867 | 380 | 2540 | 410 | TT | | | | | | E4-106R-001892 |
| 11.5/80 - 15.3 | STANDARD | 114 A8 | 126 A8 | 8 | 9.00 | | 290 | 867 | 380 | 2540 | 410 | TL | | | | | | E4-106R-001892 |
| 11.5/80 - 15.3 | STANDARD | 119 A8 | 131 A8 | 10 | 9.00 | | 290 | 867 | 380 | 2540 | 410 | TL | | | | | | |
| 11.5/80 - 15.3 | STUBBLE RESISTANT | 123 A8 | 135 A8 | 12 | 9.00 | | 290 | 867 | 380 | 2540 | 410 | TL | | | | | | E11-106R-007157 |
| 27 X 10 - 15.3 | STANDARD | 95 A8 | 107 A8 | 8 | 9.00 | | 260 | 695 | 317 | 2071 | | TT | | | | | | E4-106R-002324 |
| 27 X 10 - 15.3 | STANDARD | 95 A8 | 107 A8 | 8 | 9.00 | | 260 | 695 | 317 | 2071 | | TL | | | | | | E4-106R-002324 |
| 270/75 - 16 (10.0/75 - 16) | STANDARD | 111 A8 | 123 A8 | | 9.00 | | 250 | 810 | 0 | 0 | | TL | | | | | | E11-106R-004241 |
| 4.00 - 16 | STANDARD | 66 A8 | 78 A8 | 4 | 3.00 D | 2.50 C | 110 | 628 | 296 | 1935 | | TT | | | | | | E11-106R-005193 |
| 6.00 - 16 | HD | 83 A8 | 95 A8 | 6 | 4.00 E | 4.50 E ; 4½ K | 164 | 735 | 343 | 2190 | 350 | TT | | | | | | E11-106R-005194 |
| 6.00 - 16 | HD | 91 A8 | 103 A8 | 8 | 4.00 E | 4.50 E ; 4½ K | 164 | 735 | 343 | 2190 | 350 | TT | | | | | | E11-106R-005195 |
| 6.00 - 16 | STANDARD | 83 A8 | 95 A8 | 6 | 4.00 E | 4.50 E ; 4½ K | 164 | 735 | 343 | 2190 | 350 | TT | 0 | | | | | E4-106R-002836 |
| 7.50 - 16 | HD | 99 A8 | 112 A8 | 8 | 5.50 F | 4.50 E ; 5.00 F ; 4.00 E ; 5 K ; 6 LB ; 6.00 F | 209 | 803 | 372 | 2475 | 390 | TT | | | | | | E11-106R-004337 |

| | | | | | | | | | | | | | |
|------------------------------|------------|--------|--------|----|--------|--|-----|------|-----|------|-----|----|-----------------|
| 7.50 - 16 | STANDARD | 99 A8 | 112 A8 | 8 | 5.50 F | 4.50 E ; 5.00 F ; 4.00 E ; 5 K ; 6 LB ; 6.00 F | 209 | 803 | 372 | 2475 | 390 | TL | E4-106R-002633 |
| 7.50 - 16 | STANDARD | 92 A8 | 104 A8 | 6 | 5.50 F | 4.50 E ; 5.00 F ; 4.00 E ; 5 K ; 6 LB ; 6.00 F | 209 | 803 | 372 | 2475 | 390 | TT | |
| 7.50 - 16 | STANDARD | 99 A8 | 112 A8 | 8 | 5.50 F | 4.50 E ; 5.00 F ; 4.00 E ; 5 K ; 6 LB ; 6.00 F | 209 | 803 | 372 | 2475 | 390 | TT | E4-106R-002633 |
| 9.0/70 - 16 (230/70 - 16) | STANDARD | 106 A8 | 119 A8 | 10 | W7 | | 222 | 760 | 355 | 2285 | | TL | E11-106R-004536 |
| 15.0/55 - 17 | STANDARD | 122 A8 | 134 A8 | 10 | 13.00 | 13 | 380 | 890 | 395 | 2608 | 410 | TL | E4-106R-001571 |
| 15.0/55 - 17 | STANDARD | 128 A8 | 141 A8 | 14 | 13.00 | 13 | 380 | 890 | 395 | 2608 | 410 | TL | E4-106R-001572 |
| 19.0/45 - 17 | STANDARD | 131 A8 | 144 A8 | 14 | 16.00 | | 465 | 865 | 389 | 2578 | 410 | TL | E4-106R-001814 |
| 19.0/45 - 17 | STANDARD | 134 A8 | 147 A8 | 16 | 16.00 | | 465 | 865 | 389 | 2578 | 410 | TL | E11-106R-006179 |
| 420/55 - 17 | STANDARD | 129 A8 | 142 A8 | 14 | 13.00 | | 430 | 910 | 407 | 2712 | | TL | |
| 420/55 - 17 | STANDARD | 133 A8 | 145 A8 | 16 | 13.00 | | 430 | 910 | 407 | 2712 | | TL | E11-106R-003302 |
| 10.5/80 - 18 | STANDARD | 119 A8 | 131 A8 | 10 | W9 | 9 ; W 8 | 274 | 907 | 427 | 2790 | 425 | TL | E4-106R-002325 |
| 12.5/80 - 18 | SPECIAL | 129 A8 | 142 A8 | 12 | W9 | 9 ; 11 | 308 | 987 | 438 | 2892 | 475 | TL | E11-106R-004346 |
| 12.5/80 - 18 | STANDARD | 138 A8 | 150 A8 | 18 | W9 | 9 ; 11 | 308 | 987 | 438 | 2892 | 475 | TL | E11-106R-004348 |
| 12.5/80 - 18 | STANDARD | 129 A8 | 142 A8 | 12 | W9 | 9 ; 11 | 308 | 987 | 438 | 2892 | 475 | TL | E4-106R-001904 |
| 12.5/80 - 18 | STANDARD | 135 A8 | 148 A8 | 16 | W9 | 9 ; 11 | 308 | 987 | 438 | 2892 | 475 | TL | E11-106R-004347 |
| 7.50 - 18 | STANDARD | 111 A8 | 122 A8 | 12 | 5.50 F | 4.50 E ; 6.00 F ; 5.00 F | 209 | 854 | 407 | 2649 | 410 | TT | E11-106R-006456 |
| 7.50 - 18 | STANDARD | 94 A8 | 106 A8 | 6 | 5.50 F | 4.50 E ; 6.00 F ; 5.00 F | 209 | 854 | 407 | 2649 | 410 | TT | |
| 7.50 - 18 | STANDARD | 101 A8 | 114 A8 | 8 | 5.50 F | 4.50 E ; 6.00 F ; 5.00 F | 209 | 854 | 407 | 2649 | 410 | TT | E4-106R-002638 |
| 16.0/70 - 20 | STANDARD | 142 A8 | 154 A8 | 14 | 13 | 12 SDC ; 14 ; 13 SDC | 418 | 1097 | 487 | 3214 | 525 | TL | E4-106R-001876 |
| 16.0/70 - 20 | STANDARD | 144 A8 | 156 A8 | 16 | 13 | 12 SDC ; 14 ; 13 SDC | 418 | 1097 | 487 | 3214 | 525 | TL | E11-106R-004611 |
| 16.0/70 - 20 | STANDARD | 135 A8 | 147 A8 | 10 | 13 | 12 SDC ; 14 ; 13 SDC | 418 | 1097 | 487 | 3214 | 525 | TL | E4-106R-001875 |
| 16.0/70 - 20 | STANDARD | 139 A8 | 151 A8 | 12 | 13 | 12 SDC ; 14 ; 13 SDC | 418 | 1097 | 487 | 3214 | 525 | TL | E11-106R-004610 |
| 400/70 - 20 | INDUSTRIAL | 149 A8 | | | 13 | 12 SDC ; 14 ; 13 SDC | 408 | 1097 | 487 | 3214 | 525 | TL | E11-106R-004537 |
| 7.50 - 20 | STANDARD | 103 A8 | 116 A8 | 8 | 5.50 F | 4.50 E ; 6.00 F ; 5.00 F | 209 | 904 | 422 | 2695 | 425 | TT | E4-106R-002636 |
| 15.5/80 - | SPECIAL | 148 A8 | 160 A8 | 14 | W 12 | W 13 ; W 14 L | 384 | 1262 | 570 | 3875 | 600 | TL | E11- |

| | | | | | | | | | | | | | |
|--------------|------------|--------|--------|----|------|-----------------|-----|------|-----|------|-----|----|-------------------|
| 15.5/80 - 24 | STANDARD | 142 A8 | 154 A8 | 10 | W 12 | W 13 ; W 14 L | 384 | 1262 | 570 | 3875 | 600 | TL | E11-106R-004349 |
| 15.5/80 - 24 | STANDARD | 145 A8 | 157 A8 | 12 | W 12 | W 13 ; W 14 L | 384 | 1262 | 570 | 3875 | 600 | TL | E11-106R-003574 |
| 15.5/80 - 24 | STANDARD | 148 A8 | 160 A8 | 14 | W 12 | W 13 ; W 14 L | 384 | 1262 | 570 | 3875 | 600 | TL | E4-106R-002816 |
| 15.5/80 - 24 | STANDARD | 151 A8 | 163 A8 | 16 | W 12 | W 13 ; W 14 L | 384 | 1262 | 570 | 3875 | 600 | TL | E4-106R-002265 |
| 16.5/85 - 24 | STANDARD | 146 A8 | 158 A8 | 10 | W 13 | W 14 L ; W 15 L | 415 | 1325 | 591 | 3837 | 625 | TL | E11-106R-005097 |
| 16.5/85 - 24 | STANDARD | 151 A8 | 163 A8 | 12 | W 13 | W 14 L ; W 15 L | 415 | 1325 | 591 | 3837 | 625 | TL | E11-106R-003512 |
| 16.5/85 - 24 | STANDARD | 155 A8 | 168 A8 | 16 | W 13 | W 14 L ; W 15 L | 415 | 1325 | 591 | 3837 | 625 | TT | E4-106R-001877 |
| 16.5/85 - 24 | STANDARD | 155 A8 | 168 A8 | 16 | W 13 | W 14 L ; W 15 L | 415 | 1325 | 591 | 3837 | 625 | TL | |
| 400/80 - 24 | INDUSTRIAL | 162 A8 | | | W 13 | W 12 ; W 14 L | 394 | 1262 | 566 | 3655 | 600 | TL | 0 E11-106R-003633 |
| 400/80 - 24 | INDUSTRIAL | 156 A8 | | | W 13 | W 12 ; W 14 L | 394 | 1262 | 566 | 3655 | 600 | TL | |

Printed on 23/04/2024 17:48

All product data contained in this publication are for information purposes only and may be modified at any time without prior notice. Balkrishna Industries Ltd. or any of its subsidiary companies does not undertake any responsibility or liability for undetected errors and/or misprints. All rights reserved. The materials and contents of this publication and the website are the exclusive property of Balkrishna Industries Ltd. and are protected by industrial and/or intellectual property laws. The user is not permitted to copy, reproduce, transfer, upload, make use of, publish or spread any contents, in whole or in part, on paper format, electronic format or otherwise without prior written consent by Balkrishna Industries Ltd..