

FORESTLAND - Spécifications techniques



Description

FORESTLAND est le modèle agroforestier de BKT le plus récent et novateur. Ce pneu diagonal a été conçu spécialement pour les services pénibles dans les applications forestières, mais il peut aussi être utilisé dans certaines opérations agricoles telles que l'aménagement paysager ou la coupe et le paillage.

FORESTLAND est un pneu particulièrement résistant grâce à sa carcasse robuste en polyester. De plus, le mélange spécial de la bande de roulement résistant aux coupures et déchirures, allié au flanc robuste, assure une longue durée de vie du pneu même dans les conditions de travail les plus difficiles.

Alors que le dessin de l'épaule ouverte permet une excellente traction sur les sols meubles, le design particulier de la bande de roulement et ses blocs rigides et renforcés garantissent une bonne adhérence sur n'importe quel terrain, outre qu'il possède également des propriétés d'auto-nettoyage élevées. Qui plus est, la construction robuste de la tringle offre un haut niveau de stabilité pour les opérations pénibles.

UM

International Standard

Construction

Machinery

₩ BIAS

Agriculture: Tracteur

Version	STANDARD
Туре	TT
Tyre Size	14.9 - 28
LI/SS	140 A8 / 137 B

Dimensions International Standard

Ply Rating	14
Section Width (mm)	378
Overall Diameter (mm)	1365
SRI (mm)	650
Rim Rec	W 13
Rim Alt	W 12, W 11
TRA Code	LS2

Load capacity (Kg)

km/h / bar	3.00
40	2500
50	2300

Printed on 15/05/2024 19:53

All product data contained in this publication are for information purposes only and may be modified at any time without prior notice. Balkrishna Industries Ltd. or any of its subsidiary companies does not undertake any responsibility or liability for undetected errors and/or misprints. All rights reserved. The materials and contents of this publication and the website are the exclusive property of Balkrishna Industries Ltd. and are protected by industrial and/or intellectual property laws. The user is not permitted to copy, reproduce, transfer, upload, make use of, publish or spread any contents, in whole or in part, on paper format, electronic format or otherwise without prior written consent by Balkrishna Industries Ltd..