

TR 171 - Data Sheet



Description

TR 171 is a deep tread tire suitable for tractors in soil tillage operations. Thanks to its outstanding self-cleaning properties, it is ideal for wet and moist soil. Designed with a special compound, TR 171 provides excellent traction and extraordinary durability also in the harshest operating conditions.

UM

International Standard

Construction

 BIAS

Machinery

Agriculture: Tractor

| SIZE | Version | TRA Code | LI/SS | PR | RIM REC | RIM ALT | SW | OD | SLR | RC | SRI | Type | TKPH | ECE |
|-----------|----------|----------|--------|----|--------------------|---------------|-----|------|-----|------|-----|------|------|-----------------|
| 5.00 - 12 | STANDARD | R1W+ | 61 A6 | 4 | 3.00 D DT ; 3.00 D | 4 JA ; 3.50 B | 130 | 580 | 272 | 1750 | | TT | | E11-106R-003358 |
| 5.00 - 12 | STANDARD | R1W+ | 67 A6 | 6 | 3.00 D DT ; 3.00 D | 4 JA ; 3.50 B | 130 | 580 | 272 | 1750 | | TT | | E11-106R-003486 |
| 6.00 - 12 | STANDARD | R1W+ | 76 A6 | 6 | 4.00 E DT ; 4.00 E | 4 JA | 160 | 635 | 298 | 1953 | | TT | | E11-106R-003487 |
| 9.5 - 16 | STANDARD | R1W+ | 96 A6 | 6 | W 8 L | 8 LB | 241 | 845 | 395 | 2607 | | TT | | E11-106R-003497 |
| 8 - 18 | STANDARD | R1W+ | 100 A6 | 8 | W 6 | W 7 ; 5.50 F | 190 | 845 | 391 | 2617 | | TT | 1 | E11-106R-006170 |
| 8 - 18 | STANDARD | R1W+ | 85 A6 | 4 | W 6 | W 7 ; 5.50 F | 190 | 845 | 391 | 2617 | | TT | | E11-106R-003488 |
| 8 - 18 | STANDARD | R1W+ | 94 A6 | 6 | W 6 | W 7 ; 5.50 F | 190 | 845 | 391 | 2617 | | TT | | E11-106R-002960 |
| 9.5 - 18 | STANDARD | R1W+ | 105 A6 | 8 | W 8 | | 241 | 900 | 423 | 2790 | | TT | | E11-106R-003552 |
| 11.2 - 20 | STANDARD | R1W+ | 113 A6 | 8 | W 10 | W 9 ; 9 | 285 | 1005 | 471 | 3101 | | TT | 0 | E11-106R-003506 |
| 14.9 - 28 | STANDARD | R1W+ | 130 A6 | 8 | W 13 | W 11 ; W 12 | 388 | 1370 | 636 | 4246 | 650 | TT | | E11-106R-003585 |
| 8.3 - 20 | HD | R1W+ | 96 A6 | 6 | W 7 | W 6 | 210 | 900 | 422 | 2788 | | TT | 1 | E11-106R-004089 |
| 8.3 - 20 | HD | R1W+ | 101 A6 | 8 | W 7 | W 6 | 210 | 900 | 424 | 2785 | | TT | | E11-106R-007208 |
| 8.3 - 20 | STANDARD | R1W+ | 96 A6 | 6 | W 7 | W 6 | 210 | 900 | 423 | 2704 | | TT | | E11-106R-003362 |
| 8.3 - 20 | STANDARD | R1W+ | 101 A6 | 8 | W 7 | W 6 | 210 | 900 | 422 | 2806 | | TT | | E11-106R-004329 |
| 9.5 - 20 | HD | R1W+ | 107 A6 | 8 | W 8 | W 7 | 241 | 955 | 449 | 2942 | | TT | 1 | E11-106R-004105 |
| 9.5 - 20 | STANDARD | R1W+ | 107 A6 | 8 | W 8 | W 7 | 241 | 955 | 449 | 2942 | | TT | | E11-106R-004105 |
| 9.5 - 20 | STANDARD | R1W+ | 101 A6 | 6 | W 8 | W 7 | 241 | 955 | 449 | 2942 | | TT | | E11-106R-003359 |
| 8.3 - 22 | STANDARD | R1W+ | 104 A6 | 8 | W 7 | W 6 | 205 | 945 | 444 | 2778 | | TT | | E11-106R-003489 |
| 9.5 - 22 | STANDARD | R1W+ | 110 A6 | 8 | W 8 | W 7 | 244 | 1005 | 472 | 3107 | | TT | | E11-106R-003490 |
| 11.2 - 24 | STANDARD | R1W+ | 120 A6 | 10 | W 10 | W 9 | 285 | 1105 | 517 | 3403 | 525 | TT | | E11-106R-004478 |
| 11.2 - 24 | STANDARD | R1W+ | 110 A6 | 6 | W 10 | W 9 | 285 | 1105 | 519 | 3388 | 525 | TT | | E11-106R-003492 |
| 11.2 - 24 | STANDARD | R1W+ | 116 A6 | 8 | W 10 | W 9 | 285 | 1105 | 517 | 3403 | 525 | TT | 0 | E11-106R-004098 |
| 12.4 - 24 | HD | R1W+ | 120 A6 | 8 | W 11 | W 9 ; W 10 | 315 | 1165 | 544 | 3557 | 550 | TT | 0 | E11-106R-004117 |
| 12.4 - 24 | STANDARD | R1W+ | 106 A6 | 4 | W 11 | W 9 ; W 10 | 315 | 1165 | 544 | 3557 | 550 | TT | | E11-106R-004479 |
| 12.4 - 24 | STANDARD | R1W+ | 115 A6 | 6 | W 11 | W 9 ; W 10 | 315 | 1165 | 544 | 3557 | 550 | TT | | E11-106R-004480 |
| 12.4 - 24 | STANDARD | R1W+ | 120 A6 | 8 | W 11 | W 9 ; W 10 | 315 | 1165 | 544 | 3557 | 550 | TT | | E4-106R-002741 |
| 13.6 - 24 | STANDARD | R1W+ | 119 A6 | 6 | W 12 | W 11 | 355 | 1210 | 562 | 3674 | | TT | | E11-106R-003553 |
| 13.6 - 24 | STANDARD | R1W+ | 123 A6 | 8 | W 12 | W 11 | 355 | 1210 | 562 | 3674 | | TT | 0 | E11-106R-004110 |
| 14.9 - 24 | STANDARD | R1W+ | 123 A6 | 6 | W 13 | W 11 ; W 12 | 391 | 1265 | 575 | 3792 | 600 | TT | | E11-106R-003377 |
| 14.9 - 24 | STANDARD | R1W+ | 128 A6 | 8 | W 13 | W 11 ; W 12 | 391 | 1265 | 575 | 3792 | 600 | TT | | E4-106R-002742 |
| 8.3 - 24 | HD | R1W+ | 105 A6 | 8 | W 7 | W 6 | 210 | 1005 | 474 | 3153 | | TT | | E11-106R-005249 |
| 8.3 - 24 | STANDARD | R1W+ | 100 A6 | 6 | W 7 | W 6 | 210 | 1005 | 474 | 3014 | | TT | | E11-106R-003491 |
| 8.3 - 24 | STANDARD | R1W+ | 105 A6 | 8 | W 7 | W 6 | 210 | 1005 | 474 | 3153 | | TT | | E11-106R-004477 |
| 9.5 - 24 | STANDARD | R1W+ | 106 A6 | 6 | W 8 | W 7 | 240 | 1066 | 500 | 3260 | | TT | | E4-106R-002031 |
| 9.5 - 24 | STANDARD | R1W+ | 111 A6 | 8 | W 8 | W 7 | 240 | 1066 | 496 | 3263 | | TT | 0 | E11-106R-004099 |
| 11.2 - 26 | STANDARD | R1W+ | 117 A6 | 8 | W 10 | W 9 | 284 | 1155 | 540 | 3396 | | TT | | E11-106R-003554 |
| 12.4 - 26 | STANDARD | R1W+ | 121 A6 | 8 | W 11 | W 10 ; W 9 | 315 | 1210 | 573 | 3727 | | TT | | E11-106R-003666 |
| 13.6 - 26 | HD | R1W+ | 135 A6 | 12 | W 12 | W 11 | 340 | 1270 | 589 | 3774 | | TT | | |
| 13.6 - 26 | STANDARD | R1W+ | 110 A6 | 4 | W 12 | W 11 | 340 | 1270 | 580 | 3774 | | TT | | |
| 13.6 - 26 | STANDARD | R1W+ | 120 A6 | 6 | W 12 | W 11 | 340 | 1270 | 582 | 3815 | | TT | | E11-106R-003555 |
| 13.6 - 26 | STANDARD | R1W+ | 126 A6 | 8 | W 12 | W 11 | 340 | 1270 | 587 | 3835 | | TT | 1 | E11-106R-004481 |
| 12.4 - 28 | STANDARD | R1W+ | 117 A6 | 6 | W 11 | W 9 ; W 10 | 315 | 1260 | 589 | 3860 | 600 | TT | | E11-106R-003556 |
| 12.4 - 28 | STANDARD | R1W+ | 123 A6 | 8 | W 11 | W 9 ; W 10 | 315 | 1260 | 589 | 3860 | 600 | TT | | E11-106R-004496 |
| 12.4 - 28 | STANDARD | R1W+ | 131 A6 | 12 | W 11 | W 9 ; W 10 | 315 | 1260 | 589 | 3860 | 600 | TT | | E11-106R-004497 |

| | | | | | | | | | | | | | | |
|-----------|----------|------|--------|----|--------|-------------|-----|------|-----|------|-----|----|-----------------|-----------------|
| 13.6 - 28 | HD | R1W+ | 125 A6 | 8 | W 12 | W 11 | 350 | 1325 | 614 | 4013 | TT | 0 | E11-106R-004111 | |
| 13.6 - 28 | HD | R1W+ | 134 A6 | 12 | W 12 | W 11 | 350 | 1325 | 614 | 4013 | TT | 1 | E11-106R-004112 | |
| 13.6 - 28 | STANDARD | R1W+ | 112 A6 | 4 | W 12 | W 11 | 350 | 1325 | 614 | 4013 | 625 | TT | | |
| 13.6 - 28 | STANDARD | R1W+ | 121 A6 | 6 | W 12 | W 11 | 350 | 1325 | 614 | 4013 | 625 | TT | E11-106R-003584 | |
| 13.6 - 28 | STANDARD | R1W+ | 125 A6 | 8 | W 12 | W 11 | 350 | 1325 | 614 | 4013 | 625 | TT | E11-106R-003011 | |
| 13.6 - 28 | STANDARD | R1W+ | 134 A6 | 12 | W 12 | W 11 | 350 | 1325 | 614 | 4013 | 625 | TT | 0 | E11-106R-004112 |
| 14.9 - 28 | HD | R1W+ | 137 A6 | 12 | W 13 | W 11 ; W 12 | 388 | 1370 | 636 | 4246 | 650 | TT | E11-106R-004115 | |
| 14.9 - 28 | HD | R1W+ | 130 A6 | 8 | W 13 | W 11 ; W 12 | 388 | 1370 | 636 | 4246 | 650 | TT | E11-106R-003585 | |
| 14.9 - 28 | STANDARD | R1W+ | 137 A6 | 12 | W 13 | W 11 ; W 12 | 388 | 1370 | 636 | 4246 | 650 | TT | E11-106R-004498 | |
| 16.9 - 28 | STANDARD | R1W+ | 135 A6 | 8 | W 15 L | W 14 L | 435 | 1440 | 674 | 4496 | 675 | TT | E11-106R-003586 | |
| 16.9 - 28 | STANDARD | R1W+ | 143 A6 | 12 | W 15 L | W 14 L | 435 | 1440 | 674 | 4496 | 675 | TT | E11-106R-003385 | |
| 14.9 - 30 | STANDARD | R1W+ | 131 A6 | 8 | W 13 | W 11 ; W 12 | 380 | 1415 | 658 | 4282 | 675 | TT | E11-106R-003587 | |
| 16.9 - 30 | STANDARD | R1W+ | 137 A6 | 8 | W 15 L | W 14 L | 430 | 1490 | 687 | 4535 | 700 | TT | E11-106R-003588 | |
| 16.9 - 30 | STANDARD | R1W+ | 143 A6 | 12 | W 15 L | W 14 L | 430 | 1490 | 687 | 4605 | 700 | TT | 0 | E11-106R-004113 |
| 18.4 - 30 | STANDARD | R1W+ | 145 A6 | 10 | W 16 L | W 15 L | 470 | 1550 | 710 | 4706 | 725 | TT | E11-106R-003589 | |
| 12.4 - 32 | STANDARD | R1W+ | 124 A6 | 8 | W 11 | W 9 ; W 10 | 315 | 1370 | 643 | 4232 | 650 | TT | E11-106R-003386 | |
| 16.9 - 34 | STANDARD | R1W+ | 139 A6 | 8 | W 15 L | W 14 L | 429 | 1585 | 736 | 4838 | 750 | TT | E11-106R-003590 | |
| 18.4 - 34 | STANDARD | R1W+ | 146 A6 | 10 | W 16 L | W 15 L | 470 | 1655 | 768 | 4866 | 775 | TT | E11-106R-003591 | |
| 12.4 - 36 | STANDARD | R1W+ | 126 A6 | 8 | W 11 | W 9 ; W 10 | 315 | 1470 | 691 | 4332 | 700 | TT | E11-106R-003592 | |
| 13.6 - 36 | STANDARD | R1W+ | 129 A6 | 8 | W 12 | W 11 | 345 | 1520 | 717 | 4647 | 725 | TT | E11-106R-003593 | |
| 13.6 - 38 | STANDARD | R1W+ | 131 A6 | 8 | W 12 | W 11 | 345 | 1565 | 729 | 4818 | 750 | TT | E4-106R-002750 | |
| 16.9 - 38 | STANDARD | R1W+ | 141 A6 | 8 | W 15 L | W 14 L | 429 | 1685 | 788 | 4954 | 800 | TT | E11-106R-003594 | |
| 18.4 - 38 | STANDARD | R1W+ | 148 A6 | 10 | W 16 L | W 15 L | 470 | 1760 | 815 | 5364 | 825 | TT | E11-106R-003387 | |

Printed on 17/04/2024 04:41

All product data contained in this publication are for information purposes only and may be modified at any time without prior notice. Balkrishna Industries Ltd. or any of its subsidiary companies does not undertake any responsibility or liability for undetected errors and/or misprints. All rights reserved. The materials and contents of this publication and the website are the exclusive property of Balkrishna Industries Ltd. and are protected by industrial and/or intellectual property laws. The user is not permitted to copy, reproduce, transfer, upload, make use of, publish or spread any contents, in whole or in part, on paper format, electronic format or otherwise without prior written consent by Balkrishna Industries Ltd..