

## TF 9090 - Fișa de date



### Descriere

TF 9090 este o anvelopă concepută pentru tractoare mici în operațiuni de cultivare a solului. Designul special al benzii de rulare oferă o performanță excelentă de direcție pe sol afânat.

### UM

US Standard

### Construcție

 BIAS

### Mașinării

Agricultură: Tractor mic  
Industrial: Remorcă

| SIZE       | Version  | USACode  | TRA Code | LI/SS  | PR | RIM REC | RIM ALT                        | SW   | OD   | SLR  | RC    | Type | ECE             |
|------------|----------|----------|----------|--------|----|---------|--------------------------------|------|------|------|-------|------|-----------------|
| 4.00 - 12  | STANDARD | 94033898 | F2       | 56 A8  | 4  | 3.00 D  | 2.50 C                         | 4.4  | 20.9 | 10   | 61.9  | TT   | E4-106R-002181  |
| 4.00 - 12  | STANDARD | 94035113 | F2       | 60 A8  | 6  | 3.00 D  | 2.50 C                         | 4.4  | 20.9 | 10   | 61.9  | TT   | E4-106R-002182  |
| 5.00 - 15  | STANDARD | 94020843 | F2       | 69 A8  | 4  | 4.00 E  | 3.00 D ; 4 J ; 4½ J            | 5.5  | 25.8 | 12.1 | 76.8  | TT   | E4-106R-001952  |
| 5.00 - 15  | STANDARD | 94020867 | F2       | 76 A8  | 6  | 4.00 E  | 3.00 D ; 4 J ; 4½ J            | 5.5  | 25.8 | 12.1 | 76.8  | TT   |                 |
| 10.00 - 16 | SPECIAL  | 94038831 | F2       | 110 A8 | 8  | W 8     | W 8 L                          | 10.8 | 35.4 | 16.1 | 106.9 | TT   |                 |
| 10.00 - 16 | SPECIAL  | 94038848 | F2       | 111 A8 | 10 | W 8     | W 8 L                          | 10.8 | 35.4 | 16.1 | 106.9 | TT   | E11-106R-004418 |
| 10.00 - 16 | STANDARD | 94020720 | F2       | 110 A8 | 8  | W 8     | W 8 L                          | 10.8 | 35.4 | 16.1 | 106.9 | TT   | E4-106R-002672  |
| 10.00 - 16 | STANDARD | 94032501 | F2       | 111 A8 | 10 | W 8     | W 8 L                          | 10.8 | 35.4 | 16.1 | 106.9 | TT   | E4-106R-002671  |
| 11.00 - 16 | SPECIAL  | 94038572 | F2       | 114 A8 | 8  | W 10 L  | W 8 ; W 8 L                    | 12.6 | 38.2 | 17.6 | 113.8 | TT   | E11-106R-004316 |
| 11.00 - 16 | STANDARD | 94055111 | F2       | 114 A8 | 8  | W 10 L  | W 8 ; W 8 L                    | 12.6 | 38.2 | 17.6 | 113.8 | TL   | E4-106R-002673  |
| 11.00 - 16 | STANDARD | 94020775 | F2       | 114 A8 | 8  | W 10 L  | W 8 ; W 8 L                    | 12.6 | 38.2 | 17.6 | 113.8 | TT   | E4-106R-002673  |
| 4.00 - 16  | STANDARD | 94034680 | F2       | 61 A8  | 4  | 3.00 D  |                                | 4.4  | 24.8 | 11.9 | 73.9  | TT   | E4-106R-002183  |
| 5.50 - 16  | STANDARD | 94020874 | F2       | 82 A8  | 6  | 4.00 E  | 3.50 D ; 4.50 E                | 5.9  | 28   | 13.1 | 83.3  | TT   | E4-106R-001955  |
| 6.00 - 16  | SPECIAL  | 94026449 | F2       | 85 A8  | 6  | 4.50 E  | 4.00 E ; 5 K ; 5.00 F          | 6.7  | 28.9 | 13.6 | 86.2  | TT   | E11-106R-004410 |
| 6.00 - 16  | SPECIAL  | 94032273 | F2       | 91 A8  | 8  | 4.50 E  | 4.00 E ; 5 K ; 5.00 F          | 6.7  | 28.9 | 13.6 | 86.2  | TT   | E11-106R-004415 |
| 6.00 - 16  | STANDARD | 94020928 | F2       | 85 A8  | 6  | 4.50 E  | 4.00 E ; 5 K ; 5.00 F          | 6.7  | 28.9 | 13.6 | 86.2  | TT   | E4-106R-001959  |
| 6.00 - 16  | STANDARD | 94020959 | F2       | 91 A8  | 8  | 4.50 E  | 4.00 E ; 5 K ; 5.00 F          | 6.7  | 28.9 | 13.6 | 86.2  | TT   | E4-106R-001961  |
| 6.50 - 16  | STANDARD | 94021024 | F2       | 88 A8  | 6  | 4.50 E  | 4.00 E ; 5 K ; 5.00 F ; 5.50 F | 7.1  | 30.1 | 14.1 | 89.8  | TT   | E4-106R-001960  |
| 6.50 - 16  | STANDARD | 94021055 | F2       | 90 A8  | 8  | 4.50 E  | 4.00 E ; 5 K ; 5.00 F ; 5.50 F | 7.1  | 30.1 | 14.1 | 89.8  | TT   | E4-106R-001962  |
| 7.50 - 16  | SPECIAL  | 94026463 | F2       | 94 A8  | 6  | 5.50 F  | 5.00 F ; 5 K ; 6.00 F          | 8.1  | 31.9 | 14.9 | 95    | TT   | E11-106R-004412 |
| 7.50 - 16  | SPECIAL  | 94026470 | F2       | 99 A8  | 8  | 5.50 F  | 5.00 F ; 5 K ; 6.00 F          | 8.1  | 31.9 | 14.9 | 95    | TT   | E11-106R-004413 |
| 7.50 - 16  | STANDARD | 94021086 | F2       | 94 A8  | 6  | 5.50 F  | 5.00 F ; 5 K ; 6.00 F          | 8.1  | 31.9 | 14.9 | 95    | TT   | E4-106R-002634  |
| 7.50 - 16  | STANDARD | 94021123 | F2       | 99 A8  | 8  | 5.50 F  | 5.00 F ; 5 K ; 6.00 F          | 8.1  | 31.9 | 14.9 | 95    | TT   | E4-106R-002709  |
| 7.50 - 16  | STANDARD | 94029952 | F2       | 101 A8 | 10 | 5.50 F  | 5.00 F ; 5 K ; 6.00 F          | 8.1  | 31.9 | 14.9 | 95    | TT   | E4-106R-002708  |
| 9.00 - 16  | SPECIAL  | 94038824 | F2       | 108 A8 | 10 | W 8     | 6.00 F ; W 7 ; W 8 L           | 10.1 | 33.7 | 15.7 | 100.3 | TT   | E11-106R-004114 |
| 9.00 - 16  | STANDARD | 94021307 | F2       | 103 A8 | 8  | W 8     | 6.00 F ; W 7 ; W 8 L           | 10.1 | 33.7 | 15.7 | 100.3 | TT   | E4-106R-002668  |
| 9.00 - 16  | STANDARD | 94021338 | F2       | 108 A8 | 10 | W 8     | 6.00 F ; W 7 ; W 8 L           | 10.1 | 33.7 | 15.7 | 100.3 | TT   | E4-106R-002669  |
| 7.50 - 18  | SPECIAL  | 94038589 | F2       | 97 A8  | 6  | 5.50 F  |                                | 8.1  | 33.9 | 15.9 | 100.9 | TT   |                 |
| 7.50 - 18  | SPECIAL  | 94038596 | F2       | 102 A8 | 8  | 5.50 F  |                                | 8.1  | 33.9 | 15.9 | 100.9 | TT   | E11-106R-004318 |
| 7.50 - 18  | STANDARD | 94032600 | F2       | 105 A8 | 10 | 5.50 F  |                                | 8.1  | 33.9 | 15.9 | 100.9 | TT   | E11-106R-004654 |
| 7.50 - 18  | STANDARD | 94021154 | F2       | 97 A8  | 6  | 5.50 F  |                                | 8.1  | 33.9 | 15.9 | 100.9 | TT   | E11-106R-004317 |
| 7.50 - 18  | STANDARD | 94021192 | F2       | 102 A8 | 8  | 5.50 F  |                                | 8.1  | 33.9 | 15.9 | 100.9 | TT   | E4-106R-002645  |
| 4.00 - 19  | STANDARD | 94020805 | F2       | 69 A8  | 4  | 3.00 D  |                                | 4.5  | 28.1 | 13.5 | 84.4  | TT   | E11-106R-003355 |

|           |          |          |    |        |   |        |                 |     |      |      |       |    |                 |
|-----------|----------|----------|----|--------|---|--------|-----------------|-----|------|------|-------|----|-----------------|
| 6.00 - 19 | STANDARD | 94020973 | F2 | 89 A8  | 6 | 4.50 E | 4.00 E ; 5.00 F | 6.6 | 32.1 | 15.2 | 96.3  | TT | E11-106R-003472 |
| 7.50 - 20 | SPECIAL  | 94038800 | F2 | 99 A8  | 6 | 5.50 F | 5.00 F          | 8.1 | 36   | 17   | 107.3 | TT |                 |
| 7.50 - 20 | SPECIAL  | 94038817 | F2 | 105 A8 | 8 | 5.50 F | 5.00 F          | 8.1 | 36   | 17   | 107.3 | TT |                 |
| 7.50 - 20 | STANDARD | 94021222 | F2 | 99 A8  | 6 | 5.50 F | 5.00 F          | 8.1 | 36   | 17   | 107.3 | TT | E4-106R-002635  |
| 7.50 - 20 | STANDARD | 94021260 | F2 | 105 A8 | 8 | 5.50 F | 5.00 F          | 8.1 | 36   | 17   | 107.3 | TT | E4-106R-002710  |

Imprimat pe 12/11/2023 3:42 AM

All product data contained in this publication are for information purposes only and may be modified at any time without prior notice. Balkrishna Industries Ltd. or any of its subsidiary companies does not undertake any responsibility or liability for undetected errors and/or misprints. All rights reserved. The materials and contents of this publication and the website are the exclusive property of Balkrishna Industries Ltd. and are protected by industrial and/or intellectual property laws. The user is not permitted to copy, reproduce, transfer, upload, make use of, publish or spread any contents, in whole or in part, on paper format, electronic format or otherwise without prior written consent by Balkrishna Industries Ltd..