

## TR 135 - Загрузить лист технических данных



### Description

Шины TR 135 отлично подходят для тракторов, используемых при обработке почвы. Усиленный каркас и специальная резиновая смесь, устойчивая к порезам и разрывам, обеспечивают увеличенный срок службы. Высокая тяга, самоочищение и грузоподъемность являются главными преимуществами, которые позволяют использовать шины TR 135 даже на самых сложных покрытиях.

### UM

US Standard

### Construction

 BIAS

### Machinery

Сельское хозяйство: Трактор-тягач

Производство: Прицеп

SIZE	Version	USACode	TRA Code	LI/SS	PR	RIM REC	RIM ALT	SW	OD	SLR	RC	Type	ECE
12.4 - 16	STANDARD	94064885	R1	107 A8	8	W 11	W 9 ; 9 ; W 10	12.8	37.8	17	112.3	TT	E11-106R-007665
12.4 - 16	STANDARD	94063444	R1	93 A8	4	W 11	W 9 ; 9 ; W 10	12.8	37.8	17	112.3	TT	E11-106R-006009
10.00 - 20	STANDARD	94030187	R1	152 A2	10	7.5		11	42.3	19.5	124.4	TT	E11-106R-004421
11.2 - 20	STANDARD	94028818	R1	107 A8	8	W 10	W 9 ; 9	11.5	40.2	18.3	121.1	TT	E11-106R-003480
12.4 - 20	HD	94050574	R1	112 A8	8	W 11	W 9 ; 9 ; W 10 ; 11	12.8	42.3	19.7	124.4	TT	E11-106R-004422
12.4 - 20	STANDARD	94028825	R1	112 A8	8	W 11	W 9 ; 9 ; W 10 ; 11	12.8	42.3	19.7	124.4	TT	E4-106R-001965
8.00 - 20	STANDARD	94004577	R1	107 A8	8	5.50 F		8.9	38	17.6	111.7	TT	E11-106R-006959
8.00 - 20	STANDARD	94004560	R1	101 A8	6	5.50 F		8.9	38	17.6	111.7	TT	E4-106R-002640
9.5 - 20	HD	94040247	R1	104 A8	8	W 8	W 7	9.4	37.6	17.9	113.7	TT	E4-106R-002642
9.5 - 20	STANDARD	94004621	R1	99 A8	6	W 8	W 7	9.4	37.6	17.5	113.4	TT	E4-106R-002641
9.5 - 20	STANDARD	94004638	R1	104 A8	8	W 8	W 7	9.4	37.6	17.9	113.7	TT	E4-106R-002642
11.2 - 24	HD	94028023	R1	113 A8	8	W 10	W 9	11.2	43.5	20	130	TT	E11-106R-004102
11.2 - 24	HD	94041800	R1	116 A8	10	W 10	W 9	11.2	43.5	20.4	133.8	TT	E11-106R-003000
11.2 - 24	HD	94067954	R1	116 A8	10	W 10	W 9	11.2	43.5	20.4	133.8	TL	E11-106R-003000
11.2 - 24	STANDARD	94031177	R1	106 A8	6	W 10	W 9	11.2	43.5	20.4	133.8	TT	E11-106R-004623
11.2 - 24	STANDARD	94003044	R1	113 A8	8	W 10	W 9	11.2	43.5	20.4	133.8	TT	E4-106R-001968
11.2 - 24	STANDARD	94050222	R1	113 A8	8	W 10	W 9	11.2	43.5	20.4	133.8	TL	E4-106R-001968
12.4 - 24	HD	94035175	R1	117 A8	8	W 11	W 9 ; W 10	12.4	45.7	20.9	136.9	TL	E11-106R-002959
12.4 - 24	HD	94025961	R1	117 A8	8	W 11	W 9 ; W 10	12.4	45.7	20.9	136.9	TT	E11-106R-002959
12.4 - 24	SPECIAL	94030460	R1	124 A8	12	W 11	W 9 ; W 10	12.4	45.7	21.4	140.7	TT	E11-106R-004424
12.4 - 24	STANDARD	94003129	R1	117 A8	8	W 11	W 9 ; W 10	12.4	45.7	21.4	140.7	TT	E4-106R-001969
12.4 - 24	STANDARD	94029518	R1	117 A8	8	W 11	W 9 ; W 10	12.4	45.7	21.4	140.7	TL	E4-106R-001969
12.4 - 24	STANDARD	94032655	R1	122 A8	10	W 11	W 9 ; W 10	12.4	45.7	21.4	140.7	TT	E4-106R-001555
12.4 - 24	STANDARD	94003150	R1	124 A8	12	W 11	W 9 ; W 10	12.4	45.7	21.4	140.7	TT	E4-106R-002040
12.4 - 24	STANDARD	94003099	R1	111 A8	6	W 11	W 9 ; W 10	12.4	45.7	21.4	140.7	TT	E11-106R-004624
12.4 - 24	STANDARD	94048724	R1	124 A8	12	W 11	W 9 ; W 10	12.4	45.7	21.4	140.7	TL	E4-106R-002040
13.6 - 24	HD	94028030	R1	120 A8	8	W 12	W 11	14	48	22.1	145.6	TT	E11-106R-004339
13.6 - 24	HD	94054916	R1	126 A8	12	W 12	W 11	14	48	22.1	145.6	TT	E11-106R-005241
13.6 - 24	STANDARD	94003303	R1	120 A8	8	W 12	W 11	14	48	22.1	145.6	TT	E4-106R-002028
13.6 - 24	STANDARD	94029938	R1	126	12	W 12	W 11	14	48	22.1	145.6	TT	E4-106R-

													A8	001556
13.6 - 24	STANDARD	94051229	R1	120 A8	8	W 12	W 11	14	48	22.1	145.6	TL	E4-106R-002028	
14.9 - 24	HD	94028047	R1	124 A8	8	W 13	W 11 ; W 12	14.9	49.8	22.4	148.4	TT	E11-106R-004633	
14.9 - 24	HD	94035182	R1	128 A8	10	W 13	W 11 ; W 12	14.9	49.8	22.7	151.1	TL		
14.9 - 24	HD	94044467	R1	124 A8	8	W 13	W 12 ; W 11	14.9	49.8	22.4	148.4	TL	E11-106R-004633	
14.9 - 24	HD	94067961	R1	132 A8	12	W 13	W 12 ; W 11	14.9	49.8	22.7	151.1	TT	E11-106R-007113	
14.9 - 24	STANDARD	94003457	R1	124 A8	8	W 13	W 12 ; W 11	14.9	49.8	22.7	151.1	TT	E4-106R-002029	
14.9 - 24	STANDARD	94003464	R1	124 A8	8	W 13	W 12 ; W 11	14.9	49.8	22.7	151.1	TL	E4-106R-002029	
14.9 - 24	STANDARD	94027224	R1	132 A8	12	W 13	W 12 ; W 11	14.9	49.8	22.7	151.1	TT	E4-106R-001557	
14.9 - 24	STANDARD	94029891	R1	132 A8	12	W 13	W 12 ; W 11	14.9	49.8	22.7	151.1	TL	E4-106R-001557	
16.9 - 24	HD	94038244	R1	129 A8	8	W 15 L	W 14 L	16.9	52.6	24.1	154.5	TT		
16.9 - 24	HD	94038251	R1	136 A8	12	W 15 L	W 14 L	16.9	52.6	24.1	154.5	TT	E11-106R-004425	
16.9 - 24	STANDARD	94003570	R1	129 A8	8	W 15 L	W 14 L	16.9	52.6	24.1	154.5	TT	E11-106R-003481	
16.9 - 24	STANDARD	94032631	R1	132 A8	10	W 15 L	W 14 L	16.9	52.6	24.1	154.5	TT	E4-106R-001558	
16.9 - 24	STANDARD	94048731	R1	129 A8	8	W 15 L	W 14 L	16.9	52.6	24.1	154.5	TL		
16.9 - 24	STANDARD	94062874	R1	132 A8	10	W 15 L	W 14 L	16.9	52.6	24.1	154.5	TL		
8.3 - 24	HD	94032112	R1	101 A8	8	W 7	W 6	8.3	39.2	18.5	117.5	TT	E11-106R-004085	
8.3 - 24	HD	94059607	R1	107 A8	10	W 7	W 6	8.3	39.2	18.5	117.5	TT		
8.3 - 24	STANDARD	94004584	R1	96 A8	6	W 7	W 6	8.3	39.2	18.5	117.5	TT	E4-106R-002738	
8.3 - 24	STANDARD	94004591	R1	101 A8	8	W 7	W 6	8.3	39.2	18.7	121.1	TT	E4-106R-002739	
9.5 - 24	HD	94030774	R1	108 A8	8	W 8	W 7	9.5	41.7	19.8	127.3	TT	E4-106R-001972	
9.5 - 24	HD	94031849	R1	112 A8	10	W 8	W 7	9.5	41.7	19.8	127.3	TT	E11-106R-004103	
9.5 - 24	STANDARD	94032648	R1	112 A8	10	W 8	W 7	9.5	41.7	19.8	127.3	TT	E4-106R-001971	
9.5 - 24	STANDARD	94004645	R1	102 A8	6	W 8	W 7	9.5	41.7	19.8	127.3	TT	E4-106R-001970	
9.5 - 24	STANDARD	94004669	R1	108 A8	8	W 8	W 7	9.5	41.7	19.8	127.3	TT	E4-106R-001972	
14.9 - 26	HD	94040902	R1	125 A8	8	W 13	W 11 ; W 12	14.8	51.8	23.6	155.4	TT		
14.9 - 26	STANDARD	94028382	R1	125 A8	8	W 13	W 11 ; W 12	14.8	51.8	23.6	155.4	TT	E4-106R-002743	
14.9 - 26	STANDARD	94030323	R1	132 A8	12	W 13	W 11 ; W 12	14.8	51.8	23.6	155.4	TT	E4-106R-002041	
16.9 - 26	STANDARD	94029945	R1	136 A8	12	W 15 L	W 14 L	16.9	54.3	24.6	164.7	TT	E4-106R-002043	
16.9 - 26	STANDARD	94028375	R1	133 A8	10	W 15 L	W 14 L	16.9	54.3	24.6	164.7	TT	E4-106R-002042	
16.9 - 26	STANDARD	94048748	R1	133 A8	10	W 15 L	W 14 L	16.9	54.3	24.6	164.7	TL		
23.1 - 26	DUAL BEAD	94029402	R1	149 A8	12	DW 20 B ; DW 20 A		23.1	62.4	27.6	181.7	TL	E11-106R-004595	

23.1 - 26	DUAL BEAD	94028009	R1	155 A8	16	DW 20 B ; DW 20 A		23.1	62.4	27.6	181.7	TL	E11-106R-004598
23.1 - 26	DUAL BEAD	94029440	R1	157 A8	18	DW 20 B ; DW 20 A		23.1	62.4	27.6	181.7	TL	E11-106R-003408
23.1 - 26	DUAL BEAD	94048014	R1	149 A8	12	DW 20 B ; DW 20 A		23.1	62.4	27.6	181.7	TT	E11-106R-004595
23.1 - 26	DUAL BEAD HD	94035953	R1	155 A8	16	DW 20 B ; DW 20 A		23.1	62.4	27.6	181.7	TL	E11-106R-004598
23.1 - 26	HD	94052417	R1	155 A8	16	DW 20 B ; DW 20 A		23.1	62.4	27.6	181.7	TT	
23.1 - 26	STANDARD	94003983	R1	149 A8	12	DW 20 B ; DW 20 A		23.1	62.4	27.6	181.7	TL	E4-106R-002316
23.1 - 26	STANDARD	94003976	R1	149 A8	12	DW 20 B ; DW 20 A		23.1	62.4	27.6	181.7	TT	E4-106R-002316
23.1 - 26	STANDARD	94004003	R1	152 A8	14	DW 20 B ; DW 20 A		23.1	62.4	27.6	181.7	TL	E11-106R-004596
23.1 - 26	STANDARD	94004027	R1	155 A8	16	DW 20 B ; DW 20 A		23.1	62.4	27.6	181.7	TL	E11-106R-003611
23.1 - 26	STANDARD	94004010	R1	155 A8	16	DW 20 B ; DW 20 A		23.1	62.4	27.6	181.7	TT	E11-106R-003611
11.2 - 28	HD	94028306	R1	114 A8	8	W 10	W 9	11.2	47.4	22.2	139.5	TT	E11-106R-003550
11.2 - 28	STANDARD	94003075	R1	114 A8	8	W 10	W 9	11.2	47.4	22.2	139.5	TT	E4-106R-001977
11.2 - 28	STANDARD	94032617	R1	119 A8	10	W 10	W 9	11.2	47.4	22.2	139.5	TT	E11-106R-004426
12.4 - 28	HD	94028054	R1	120 A8	8	W 11	W 9 ; W 10	12.8	49.6	23	152.6	TT	E11-106R-004427
12.4 - 28	STANDARD	94032662	R1	123 A8	10	W 11	W 9 ; W 10	12.8	49.6	23	152.6	TT	E11-106R-004428
12.4 - 28	STANDARD	94027668	R1	127 A8	12	W 11	W 9 ; W 10	12.8	49.6	23	152.6	TT	E11-106R-005237
12.4 - 28	STANDARD	94003167	R1	113 A8	6	W 11	W 9 ; W 10	12.8	49.6	23	152.6	TT	E11-106R-004625
12.4 - 28	STANDARD	94003198	R1	120 A8	8	W 11	W 9 ; W 10	12.8	49.6	23	152.6	TT	E4-106R-001978
13.6 - 28	HD	94028061	R1	122 A8	8	W 12	W 11	13.6	51.6	23.9	153.9	TT	E11-106R-004429
13.6 - 28	STANDARD	94028443	R1	130 A8	12	W 12	W 11	13.6	51.6	23.9	153.9	TT	
13.6 - 28	STANDARD	94029976	R1	133 A8	14	W 12	W 11	13.6	51.6	23.9	153.9	TT	E4-106R-002818
13.6 - 28	STANDARD	94003341	R1	122 A8	8	W 12	W 11	13.6	51.6	23.9	153.9	TT	E4-106R-002749
14.9 - 28	HD	94028078	R1	126 A8	8	W 13	W 11 ; W 12	14.9	53.7	25	164.2	TT	E11-106R-004430
14.9 - 28	HD	94052776	R1	133 A8	12	W 13	W 11 ; W 12	14.9	53.7	25	164.2	TT	E11-106R-004095
14.9 - 28	STANDARD	94003525	R1	133 A8	12	W 13	W 11 ; W 12	14.9	53.7	25	164.2	TT	E4-106R-002819
14.9 - 28	STANDARD	94029921	R1	135 A8	14	W 13	W 11 ; W 12	14.9	53.7	25	164.2	TT	E4-106R-002820
14.9 - 28	STANDARD	94031184	R1	121 A8	6	W 13	W 11 ; W 12	14.9	53.7	25	164.2	TT	E11-106R-004626
14.9 - 28	STANDARD	94003501	R1	126 A8	8	W 13	W 11 ; W 12	14.9	53.7	25	164.2	TT	E4-106R-002744
14.9 - 28 (28)	STANDARD	94051205	R1	126 A8	8	W 13	W 11 ; W 12	14.9	53.7	25	164.2	TL	E4-106R-002744
18.4 - 28	STANDARD	94036578	R1	144 A8	12	W 16 L	W 15 L	18.4	59.1	27.2	173.7	TL	E4-106R-002828
18.4 - 28	STANDARD	94041268	R1	134 A8	8	W 16 L	W 15 L	18.4	59.1	27.2	173.7	TL	E11-106R-004431
8.3 - 28	STANDARD	94004607	R1	99 A8	6	W 7	W 6	8.4	43.5	20.4	131.8	TT	E4-106R-001973

8.3 - 28	STANDARD	94004614	R1	104 A8	8	W 7	W 6	8.4	43.5	20.4	131.8	TT	E4-106R-001974
9.5 - 28	STANDARD	94033027	R1	104 A8	6	W 8	W 7	9.3	45.5	21.6	140	TT	E4-106R-001975
9.5 - 28	STANDARD	94033034	R1	110 A8	8	W 8	W 7	9.3	45.5	21.6	140	TT	E4-106R-001976
14.9 - 30	STANDARD	94029372	R1	127 A8	8	W 13	W 11 ; W 12	14.9	55.7	25.9	169.9	TT	E4-106R-002753
15 - 30 (18.4 - 30)	STANDARD	94004102	R1	145 A8	12	W 16 L	W 15 L	18.1	60.8	28.1	178.8	TT	E11-106R-004434
15 - 30 (18.4 - 30)	STANDARD	94004119	R1	147 A8	14	W 16 L	W 15 L	18.1	60.8	28.1	178.8	TT	
16.9 - 30	STANDARD	94003617	R1	132 A8	8	W 15 L	W 14 L	16.9	58.5	26.7	178.5	TT	E11-106R-003482
16.9 - 30	STANDARD	94003648	R1	136 A8	10	W 15 L	W 14 L	16.9	58.5	26.7	178.5	TT	E4-106R-002824
16.9 - 30 (14 - 30)	STANDARD	94003662	R1	143 A8	14	W 15 L	W 14 L	16.9	58.5	26.7	178.5	TT	E4-106R-002823
16.9 - 30 (14 - 30)	STANDARD	94058662	R1	145 A8	16	W 15 L	W 14 L	16.9	58.5	26.7	178.5	TT	
18.4 - 30	HD	94028085	R1	135 A8	8	W 16 L	W 15 L	18.1	60.8	27.4	185.5	TT	E11-106R-004435
18.4 - 30	HD	94035298	R1	140 A8	10	W 16 L	W 15 L	18.1	60.8	27.4	185.5	TT	
18.4 - 30	HD	94035304	R1	140 A8	10	W 16 L	W 15 L	18.1	60.8	27.4	185.5	TL	
18.4 - 30	HD	94028092	R1	145 A8	12	W 16 L	W 15 L	18.1	60.8	27.4	185.5	TT	E11-106R-004436
18.4 - 30	STANDARD	94029525	R1	145 A8	12	W 16 L	W 15 L	18.1	60.8	27.4	185.5	TL	
18.4 - 30	STANDARD	94003808	R1	147 A8	14	W 16 L	W 15 L	18.1	60.8	27.4	185.5	TT	E11-106R-003612
18.4 - 30	STANDARD	94003761	R1	135 A8	8	W 16 L	W 15 L	18.1	60.8	27.4	185.5	TT	E11-106R-003357
18.4 - 30	STANDARD	94027699	R1	140 A8	10	W 16 L	W 15 L	18.1	60.8	27.4	185.5	TT	E4-106R-002825
18.4 - 30	STANDARD	94003785	R1	145 A8	12	W 16 L	W 15 L	18.1	60.8	27.4	185.5	TT	
18.4 - 30	STANDARD	94058679	R1	150 A8	16	W 16 L	W 15 L	18.1	60.8	27.4	185.5	TT	
23.1 - 30	DUAL BEAD	94029419	R1	151 A8	12	DW 20 B ; DW 20 A		23.6	66.9	30.4	205.4	TT	E11-106R-004599
23.1 - 30	DUAL BEAD	94029563	R1	160 A8	18	DW 20 B ; DW 20 A		23.6	66.9	30.4	205.4	TT	E11-106R-004601
23.1 - 30	DUAL BEAD	94029570	R1	160 A8	18	DW 20 B ; DW 20 A		23.6	66.9	30.4	205.4	TL	E11-106R-004601
23.1 - 30	STANDARD	94004034	R1	143 A8	8	DW 20 B ; DW 20 A		23.6	66.9	30.4	205.4	TT	E4-106R-002303
23.1 - 30	STANDARD	94004041	R1	143 A8	8	DW 20 B ; DW 20 A		23.6	66.9	30.4	205.4	TL	E4-106R-002303
23.1 - 30	STANDARD	94004058	R1	151 A8	12	DW 20 B ; DW 20 A		23.6	66.9	30.4	205.4	TT	E4-106R-002302
23.1 - 30	STANDARD	94004065	R1	151 A8	12	DW 20 B ; DW 20 A		23.6	66.9	30.4	205.4	TL	E4-106R-002302
7.2 - 30	STANDARD	94004553	R1	91 A8	6	W 6		7.3	43.1	20.6	126.7	TT	E4-106R-002740
9.5 - 30	STANDARD	94004683	R1	105 A8	6	W 8	W 7	9.5	47.2	22.3	138.9	TT	E11-106R-004432
9.5 - 30	STANDARD	94004690	R1	111 A8	8	W 8	W 7	9.5	47.2	22.3	138.9	TT	E11-106R-004433
11.2 - 32	HD	94070398	R1	116 A8	8	W 10	W 9	11.3	51.6	24.2	157.8	TL	E11-106R-007465
12.4 - 32	HD	94028207	R1	121 A8	8	W 11	W 9 ; W 10	12.8	53.5	25.2	157.4	TT	E11-106R-004438

12.4 - 32	HD	94059614	R1	124 A8	10	W 11	W 9 ; W 10	12.8	53.5	25.2	157.4	TT	
12.4 - 32	STANDARD	94003211	R1	115 A8	6	W 11	W 9 ; W 10	12.8	53.5	25.2	157.4	TT	E11-106R-004627
12.4 - 32	STANDARD	94003235	R1	121 A8	8	W 11	W 9 ; W 10	12.8	53.5	25.2	157.4	TT	E4-106R-002034
8.3 - 32	STANDARD	94004072	R1	101 A8	6	W 7	W 6	8.3	47	22.5	141.1	TT	E4-106R-002030
8.3 - 32	STANDARD	94028405	R1	107 A8	8	W 7	W 6	8.3	47	22.5	141.1	TT	E4-106R-002032
9.5 - 32	STANDARD	94028221	R1	106 A8	6	W 8	W 7	9.3	49.4	23.4	145.1	TT	E4-106R-002033
16.9 - 34	HD	94065509	R1	142 A8	14	W 15 L	W 14 L	16.9	62.4	28.7	188.7	TT	
16.9 - 34	HD	94025978	R1	134 A8	8	W 15 L	W 14 L	16.9	62.4	28.7	188.7	TT	E11-106R-004439
16.9 - 34	HD	94031870	R1	138 A8	10	W 15 L	W 14 L	16.9	62.4	28.7	188.7	TT	E11-106R-004440
16.9 - 34	HD	94028566	R1	140 A8	12	W 15 L	W 14 L	16.9	62.4	28.7	188.7	TT	E11-106R-004441
16.9 - 34	STANDARD	94003686	R1	134 A8	8	W 15 L	W 14 L	16.9	62.4	28.7	188.7	TT	E4-106R-002714
16.9 - 34	STANDARD	94003709	R1	138 A8	10	W 15 L	W 14 L	16.9	62.4	28.7	188.7	TT	E4-106R-002715
16.9 - 34	STANDARD	94003723	R1	140 A8	12	W 15 L	W 14 L	16.9	62.4	28.7	188.7	TT	
18.4 - 34	HD	94031115	R1	137 A8	8	W 16 L	W 15 L	18.4	65	29.6	197.2	TT	E11-106R-004442
18.4 - 34	HD	94027149	R1	143 A8	10	W 16 L	W 15 L	18.4	65	29.6	197.2	TT	E11-106R-004443
18.4 - 34	HD	94041299	R1	146 A8	12	W 16 L	W 15 L	18.4	65	29.6	197.2	TT	E11-106R-004444
18.4 - 34	HD	94004126	R1	150 A8	14	W 16 L	W 15 L	18.4	65	29.6	197.2	TT	E11-106R-003394
18.4 - 34	HD SPECIAL	94026029	R1	146 A8	12	W 16 L	W 15 L	18.4	65	29.6	197.2	TT	E11-106R-004445
18.4 - 34	STANDARD	94003860	R1	143 A8	10	W 16 L	W 15 L	18.4	65	29.6	197.2	TT	E4-106R-002717
18.4 - 34	STANDARD	94003884	R1	146 A8	12	W 16 L	W 15 L	18.4	65	29.6	197.2	TT	E4-106R-002719
18.4 - 34	STANDARD	94031788	R1	150 A8	14	W 16 L	W 15 L	18.4	65	29.6	197.2	TT	E11-106R-003394
18.4 - 34	STANDARD	94003815	R1	132 A8	6	W 16 L	W 15 L	18.4	65	29.6	197.2	TT	E11-106R-004632
18.4 - 34	STANDARD	94003839	R1	137 A8	8	W 16 L	W 15 L	18.4	65	29.6	197.2	TT	E4-106R-002716
23.1 - 34	STANDARD	94034239	R1	150 A8	10	DW 20 B ; DW 20 A		23	71.3	32.8	209.5	TL	E4-106R-002831
23.1 - 34	STANDARD	94034222	R1	150 A8	10	DW 20 B ; DW 20 A		23	71.3	32.8	209.5	TT	E4-106R-002831
12.4 - 36	HD	94028214	R1	123 A8	8	W 11	W 9 ; W 10	12.8	57.7	27.4	179	TT	E11-106R-004446
12.4 - 36	HD	94040377	R1	127 A8	10	W 11	W 9 ; W 10	12.8	57.7	27.4	179	TT	E11-106R-004447
12.4 - 36	HD	94053100	R1	135 A8	14	W 11	W 9 ; W 10	12.8	57.7	27.4	179	TL	E11-106R-004449
12.4 - 36	HD	94044764	R1	135 A8	14	W 11	W 9 ; W 10	12.8	57.7	27.4	179	TT	E11-106R-004449
12.4 - 36	HD	94045372	R1	131 A8	12	W 11	W 9 ; W 10	12.8	57.7	27.4	179	TT	
12.4 - 36	STANDARD	94003266	R1	123 A8	8	W 11	W 9 ; W 10	12.8	57.7	27.4	179	TT	E4-106R-002035
12.4 - 36	STANDARD	94003280	R1	127 A8	10	W 11	W 9 ; W 10	12.8	57.7	27.4	179	TT	E4-106R-002821

<b>12.4 - 36</b>	STANDARD	94026395	R1	131 A8	12	W 11	W 9 ; W 10	12.8	57.7	27.4	179	TT	E11-106R-004448
<b>12.4 - 36</b>	STANDARD	94025732	R1	135 A8	14	W 11	W 9 ; W 10	12.8	57.7	27.4	179	TT	E11-106R-004449
<b>13.6 - 36</b>	HD	94040384	R1	130 A8	10	W 12	W 11	13.6	59.6	28.1	175.4	TT	E11-106R-004452
<b>13.6 - 36</b>	STANDARD	94003358	R1	121 A8	6	W 12	W 11	13.6	59.6	28.1	175.4	TT	E4-106R-002036
<b>13.6 - 36</b>	STANDARD	94003372	R1	125 A8	8	W 12	W 11	13.6	59.6	28.1	175.4	TT	E4-106R-002037
<b>13.6 - 36</b>	STANDARD	94032624	R1	130 A8	10	W 12	W 11	13.6	59.6	28.1	175.4	TT	E4-106R-002044
<b>8.3 - 36</b>	STANDARD	94004089	R1	104 A8	6	W 7	W 6	8.3	51	24.7	158.6	TT	E4-106R-002745
<b>8.3 - 36</b>	STANDARD	94028283	R1	109 A8	8	W 7	W 6	8.3	51	24.7	158.6	TT	E4-106R-002746
<b>9.5 - 36</b>	STANDARD	94030354	R1	118 A8	10	W 8	W 7	9.3	53.5	25.4	157.5	TT	E4-106R-002754
<b>11.2 - 38</b>	STANDARD	94070442	R1	113 A8	6	W 10	W 9	11.2	57.5	0	0	TL	E11-106R-007700
<b>12.4 - 38</b>	STANDARD	94032693	R1	124 A8	8	W 11	W 9 ; W 10	12.8	60	28.3	183.9	TT	E4-106R-002038
<b>12.4 - 38</b>	STANDARD	94032709	R1	135 A8	14	W 11	W 9 ; W 10	12.8	60	28.3	183.9	TT	E11-106R-004454
<b>12.4 - 38</b>	STANDARD	94040704	R1	135 A8	14	W 11	W 9 ; W 10	12.8	60	28.3	183.9	TL	E11-106R-004454
<b>13.6 - 38 (14.00 - 38)</b>	HD	94027156	R1	127 A8	8	W 12	W 11	13.6	61.6	28.9	190.2	TT	E11-106R-004455
<b>13.6 - 38 (14.00 - 38)</b>	HD	94033645	R1	135 A8	12	W 12	W 11	13.6	61.6	28.9	190.2	TT	E11-106R-004097
<b>13.6 - 38 (14.00 - 38)</b>	STANDARD	94003433	R1	135 A8	12	W 12	W 11	13.6	61.6	28.9	190.2	TT	E11-106R-004097
<b>13.6 - 38 (14.00 - 38)</b>	STANDARD	94031061	R1	138 A8	14	W 12	W 11	13.6	61.6	28.9	190.2	TT	E4-106R-002826
<b>13.6 - 38 (14.00 - 38)</b>	STANDARD	94003419	R1	127 A8	8	W 12	W 11	13.6	61.6	28.9	190.2	TT	E4-106R-002039
<b>14.00 - 38 (13.6 - 38)</b>	SPECIAL	94004515	R1	135 A8	12	W 12	W 11	13.6	61.6	28.9	190.2	TT	E11-106R-004535
<b>14.00 - 38 (13.6 - 38)</b>	STANDARD	94004096	R1	127 A8	8	W 12	W 11	13.6	61.6	28.9	190.2	TT	E11-106R-004534
<b>15.5 - 38</b>	HD	94032747	R1	129 A8	8	W 14 L		15.6	62.4	29.4	183.5	TT	E11-106R-004456
<b>15.5 - 38</b>	HD	94031450	R1	134 A8	10	W 14 L		15.6	62.4	29.4	187.4	TT	E11-106R-005242
<b>15.5 - 38</b>	HD	94059317	R1	129 A8	8	W 14 L		15.6	62.4	29.4	183.5	TL	E11-106R-004456
<b>15.5 - 38</b>	STANDARD	94003549	R1	129 A8	8	W 14 L		15.6	62.4	29.4	183.5	TT	E4-106R-001559
<b>15.5 - 38</b>	STANDARD	94041909	R1	134 A8	10	W 14 L		15.6	62.4	29.4	183.5	TT	E4-106R-002827
<b>15.5 - 38</b>	STANDARD	94003556	R1	137 A8	12	W 14 L		15.6	62.4	29.4	183.5	TT	E11-106R-004457
<b>16.9 - 38</b>	HD	94027163	R1	136 A8	8	W 15 L	W 14 L	16.9	66.3	31	195	TT	E11-106R-004458
<b>16.9 - 38</b>	HD	94026005	R1	139 A8	10	W 15 L	W 14 L	16.9	66.3	31	195	TT	E11-106R-004459
<b>16.9 - 38</b>	STANDARD	94027682	R1	139 A8	10	W 15 L	W 14 L	16.9	66.3	31	195	TT	E4-106R-002720
<b>16.9 - 38</b>	STANDARD	94026586	R1	142 A8	12	W 15 L	W 14 L	16.9	66.3	31	195	TT	E4-106R-002721

16.9 - 38	STANDARD	94003730	R1	136 A8	8	W 15 L	W 14 L	16.9	66.3	31	195	TT	E4-106R-002829
18.4 - 38	HD	94032211	R1	139 A8	8	W 16 L	W 15 L	18.4	68.9	31.3	211.3	TT	E11-106R-004460
18.4 - 38	HD	94035199	R1	145 A8	10	W 16 L	W 15 L	18.4	68.9	31.3	211.3	TT	
18.4 - 38	HD	94035205	R1	145 A8	10	W 16 L	W 15 L	18.4	68.9	31.3	211.3	TL	
18.4 - 38	HD	94027217	R1	149 A8	12	W 16 L	W 15 L	18.4	68.9	31.3	211.3	TT	E11-106R-004461
18.4 - 38	STANDARD	94003907	R1	139 A8	8	W 16 L	W 15 L	18.4	68.9	31.3	211.3	TT	E4-106R-002722
18.4 - 38	STANDARD	94003938	R1	149 A8	12	W 16 L	W 15 L	18.4	68.9	31.3	211.3	TT	E11-106R-003366
18.4 - 38	STANDARD	94051212	R1	149 A8	12	W 16 L	W 15 L	18.4	68.9	31.3	211.3	TL	E11-106R-003366
18.4 - 38	STANDARD	94045679	R1	151 A8	14	W 16 L	W 15 L	18.4	68.9	31.3	211.3	TT	
20.8 - 38	DUAL BEAD HD	94040148	R1	159 A8	16	W 18 L	W 16 L	20.9	72.2	33.3	223.8	TT	E11-106R-004465
20.8 - 38	DUAL BEAD HD	94052523	R1	162 A8	18	W 18 L	W 16 L	20.9	72.2	33.3	223.8	TT	E11-106R-004466
20.8 - 38	DUAL BEAD HD	94058778	R1	162 A8	18	W 18 L	W 16 L	20.9	72.2	33.3	223.8	TL	E11-106R-004466
20.8 - 38	HD	94041305	R1	152 A8	12	W 18 L	W 16 L	20.9	72.2	33.3	223.8	TT	E11-106R-004463
20.8 - 38	STANDARD	94003952	R1	152 A8	12	W 18 L	W 16 L	20.9	72.2	33.3	223.8	TT	E4-106R-002272
20.8 - 38	STANDARD	94031771	R1	155 A8	14	W 18 L	W 16 L	20.9	72.2	33.3	223.8	TT	E11-106R-004464
20.8 - 38	STANDARD	94003945	R1	144 A8	8	W 18 L	W 16 L	20.9	72.2	33.3	223.8	TT	E4-106R-002832
20.8 - 38	STANDARD	94051090	R1	152 A8	12	W 18 L	W 16 L	20.9	72.2	33.3	223.8	TL	E4-106R-002272
12.4 - 42	STANDARD	94051816	R1	130 A8	10	W 10 ; W 10 A		12.7	64.2	30.3	197.3	TL	E11-106R-004467
20.8 - 42	DUAL BEAD HD	94062751	R1	164 A8	18	W 18 L	W 16 L	21.1	76.8	35.8	225.7	TL	E11-106R-005853
20.8 - 42	STANDARD	94041220	R1	154 A8	12	W 18 L	W 16 L	21.1	76.8	35.8	225.7	TT	E11-106R-004469
20.8 - 42 (42)	STANDARD	94050239	R1	154 A8	12	W 18 L	W 16 L	21.1	76.8	35.8	225.7	TL	E11-106R-004469
20.8 - 42	STANDARD	94060436	R1	161 A8	16	W 18 L	W 16 L	21.1	76.8	35.8	225.7	TL	
9.5 - 42	STANDARD	94030361	R1	121 A8	10	W 8	W 7	9.7	59.4	28.4	183.6	TT	E4-106R-002822

Printed on 06.08.2024 8:53

All product data contained in this publication are for information purposes only and may be modified at any time without prior notice. Balkrishna Industries Ltd. or any of its subsidiary companies does not undertake any responsibility or liability for undetected errors and/or misprints. All rights reserved. The materials and contents of this publication and the website are the exclusive property of Balkrishna Industries Ltd. and are protected by industrial and/or intellectual property laws. The user is not permitted to copy, reproduce, transfer, upload, make use of, publish or spread any contents, in whole or in part, on paper format, electronic format or otherwise without prior written consent by Balkrishna Industries Ltd..