

TR 135 - Veri Sayfasını İndir



Description

TR 135 toprak işleme uygulamalarında kullanılan traktörler için en uygun lastiktir. Güçlendirilmiş gövdesi ve özel kesilme ve kopmaya karşı dirençli hamur, uzun bir lastik kullanım ömrü sağlar. Çekiş, kendi kendini temizleme özellikleri ve yük kapasitesi, TR 135 lastiği en zorlu zemin koşullarında bile ideal bir ortak kılan temel özelliklerdir.

UM

International Standard

Construction

BIAS

Machinery

Zirai: Traktör

Endüstriyel: Römork

SIZE	Version	TRA Code	LI/SS	PR	RIM REC	RIM ALT	SW	OD	SLR	RC	SRI	Type	ECE
12.4 - 16	STANDARD	R1	111 A6	8	W 11	W 9 ; 9 ; W 10	326	960	431	2852		TT	E11-106R-007665
12.4 - 16	STANDARD	R1	97 A6	4	W 11	W 9 ; 9 ; W 10	326	960	431	2852		TT	E11-106R-006009
10.00 - 20	STANDARD	R1	152 A2	10	7.5		280	1075	495	3160		TT	E11-106R-004421
11.2 - 20	STANDARD	R1	111 A6	8	W 10	W 9 ; 9	292	1020	466	3077		TT	E11-106R-003480
12.4 - 20	HD	R1	116 A6	8	W 11	W 9 ; 9 ; W 10 ; 11	325	1075	500	3160		TT	E11-106R-004422
12.4 - 20	STANDARD	R1	116 A6	8	W 11	W 9 ; 9 ; W 10 ; 11	325	1075	500	3160		TT	E4-106R-001965
8.00 - 20	STANDARD	R1	111 A6	8	5.50 F		225	965	448	2837		TT	E11-106R-006959
8.00 - 20	STANDARD	R1	105 A6	6	5.50 F		225	965	448	2837		TT	E4-106R-002640
9.5 - 20	HD	R1	107 A6	8	W 8	W 7	240	955	454	2888		TT	E4-106R-002642
9.5 - 20	STANDARD	R1	102 A6	6	W 8	W 7	240	955	444	2881		TT	E4-106R-002641
9.5 - 20	STANDARD	R1	107 A6	8	W 8	W 7	240	955	454	2888		TT	E4-106R-002642
11.2 - 24	HD	R1	116 A6	8	W 10	W 9	284	1105	507	3303	525	TT	E11-106R-004102
11.2 - 24	HD	R1	120 A6	10	W 10	W 9	284	1105	517	3399	525	TT	E11-106R-003000
11.2 - 24	HD	R1	120 A6	10	W 10	W 9	284	1105	517	3399	525	TL	E11-106R-003000
11.2 - 24	STANDARD	R1	110 A6	6	W 10	W 9	284	1105	517	3399	525	TT	E11-106R-004623
11.2 - 24	STANDARD	R1	116 A6	8	W 10	W 9	284	1105	517	3399	525	TT	E4-106R-001968
11.2 - 24	STANDARD	R1	116 A6	8	W 10	W 9	284	1105	517	3399	25	TL	E4-106R-001968
12.4 - 24	HD	R1	121 A6	8	W 11	W 9 ; W 10	315	1160	531	3477	550	TL	E11-106R-002959
12.4 - 24	HD	R1	121 A6	8	W 11	W 9 ; W 10	315	1160	531	3477	550	TT	E11-106R-002959
12.4 - 24	SPECIAL	R1	128 A6	12	W 11	W 9 ; W 10	315	1160	543	3573	550	TT	E11-106R-004424
12.4 - 24	STANDARD	R1	121 A6	8	W 11	W 9 ; W 10	315	1160	543	3573	550	TT	E4-106R-001969
12.4 - 24	STANDARD	R1	121 A6	8	W 11	W 9 ; W 10	315	1160	543	3573	550	TL	E4-106R-001969
12.4 - 24	STANDARD	R1	115 A6	6	W 11	W 9 ; W 10	315	1160	543	3573	550	TT	E11-106R-004624
12.4 - 24	STANDARD	R1	125 A6	10	W 11	W 9 ; W 10	315	1160	543	3573	550	TT	E4-106R-001555
12.4 - 24	STANDARD	R1	128 A6	12	W 11	W 9 ; W 10	315	1160	543	3573	550	TT	E4-106R-002040
12.4 - 24	STANDARD	R1	128 A6	12	W 11	W 9 ; W 10	315	1160	543	3573	550	TL	E4-106R-002040
13.6 - 24	HD	R1	123 A6	8	W 12	W 11	355	1220	562	3698		TT	E11-106R-004339
13.6 - 24	HD	R1	130 A6	12	W 12	W 11	355	1220	562	3698		TT	E11-106R-005241
13.6 - 24	STANDARD	R1	123 A6	8	W 12	W 11	355	1220	562	3698		TT	E4-106R-002028
13.6 - 24	STANDARD	R1	130	12	W 12	W 11	355	1220	562	3698		TT	E4-106R-

			A6									001556	
13.6 - 24	STANDARD	R1	123 A6	8	W 12	W 11	355	1220	562	3698		TL	E4-106R-002028
14.9 - 24	HD	R1	128 A6	8	W 13	W 11 ; W 12	378	1265	570	3769	600	TT	E11-106R-004633
14.9 - 24	HD	R1	132 A6	10	W 13	W 11 ; W 12	378	1265	576	3837	600	TL	
14.9 - 24	HD	R1	128 A6	8	W 13	W 12 ; W 11	378	1265	570	3769	600	TL	E11-106R-004633
14.9 - 24	HD	R1	135 A6	12	W 13	W 12 ; W 11	378	1265	576	3837	600	TT	E11-106R-007113
14.9 - 24	STANDARD	R1	128 A6	8	W 13	W 12 ; W 11	378	1265	576	3837	600	TT	E4-106R-002029
14.9 - 24	STANDARD	R1	128 A6	8	W 13	W 12 ; W 11	378	1265	576	3837	600	TL	E4-106R-002029
14.9 - 24	STANDARD	R1	135 A6	12	W 13	W 12 ; W 11	378	1265	576	3837	600	TT	E4-106R-001557
14.9 - 24	STANDARD	R1	135 A6	12	W 13	W 12 ; W 11	378	1265	576	3837	600	TL	E4-106R-001557
16.9 - 24	HD	R1	133 A6	8	W 15 L	W 14 L	429	1335	613	3925		TT	
16.9 - 24	HD	R1	140 A6	12	W 15 L	W 14 L	429	1335	613	3925		TT	E11-106R-004425
16.9 - 24	STANDARD	R1	133 A6	8	W 15 L	W 14 L	429	1335	613	3925		TT	E11-106R-003481
16.9 - 24	STANDARD	R1	136 A6	10	W 15 L	W 14 L	429	1335	613	3925		TT	E4-106R-001558
16.9 - 24	STANDARD	R1	133 A6	8	W 15 L	W 14 L	429	1335	613	3925		TL	
16.9 - 24	STANDARD	R1	136 A6	10	W 15 L	W 14 L	429	1335	613	3925		TL	
8.3 - 24	HD	R1	105 A6	8	W 7	W 6	211	995	469	2985		TT	E11-106R-004085
8.3 - 24	HD	R1	111 A6	10	W 7	W 6	211	995	469	2985		TT	
8.3 - 24	STANDARD	R1	100 A6	6	W 7	W 6	211	995	469	2985		TT	E4-106R-002738
8.3 - 24	STANDARD	R1	105 A6	8	W 7	W 6	211	995	475	3076		TT	E4-106R-002739
9.5 - 24	HD	R1	112 A6	8	W 8	W 7	241	1060	502	3234		TT	E4-106R-001972
9.5 - 24	HD	R1	116 A6	10	W 8	W 7	241	1060	502	3234		TT	E11-106R-004103
9.5 - 24	STANDARD	R1	116 A6	10	W 8	W 7	241	1060	502	3234		TT	E4-106R-001971
9.5 - 24	STANDARD	R1	106 A6	6	W 8	W 7	241	1060	502	3234		TT	E4-106R-001970
9.5 - 24	STANDARD	R1	112 A6	8	W 8	W 7	241	1060	502	3234		TT	E4-106R-001972
14.9 - 26	HD	R1	129 A6	8	W 13	W 11 ; W 12	375	1315	599	3947		TT	
14.9 - 26	STANDARD	R1	129 A6	8	W 13	W 11 ; W 12	375	1315	599	3947		TT	E4-106R-002743
14.9 - 26	STANDARD	R1	136 A6	12	W 13	W 11 ; W 12	375	1315	599	3947		TT	E4-106R-002041
16.9 - 26	STANDARD	R1	140 A6	12	W 15 L	W 14 L	430	1380	625	4183		TT	E4-106R-002043
16.9 - 26	STANDARD	R1	137 A6	10	W 15 L	W 14 L	430	1380	625	4183		TT	E4-106R-002042
16.9 - 26	STANDARD	R1	137 A6	10	W 15 L	W 14 L	430	1380	625	4183		TL	
23.1 - 26	DUAL BEAD	R1	153 A6	12	DW 20 B ; DW 20 A		587	1585	700	4615	750	TL	E11-106R-004595

23.1 - 26	DUAL BEAD	R1	159 A6	16	DW 20 B ; DW 20 A		587	1585	700	4615	750	TL	E11-106R- 004598
23.1 - 26	DUAL BEAD	R1	161 A6	18	DW 20 B ; DW 20 A		587	1585	700	4615	750	TL	E11-106R- 003408
23.1 - 26	DUAL BEAD	R1	153 A6	12	DW 20 B ; DW 20 A		587	1585	700	4615	750	TT	E11-106R- 004595
23.1 - 26	DUAL BEAD HD	R1	159 A6	16	DW 20 B ; DW 20 A		587	1585	700	4615	750	TL	E11-106R- 004598
23.1 - 26	HD	R1	159 A6	16	DW 20 B ; DW 20 A		587	1585	700	4615	750	TT	
23.1 - 26	STANDARD	R1	159 A6	16	DW 20 B ; DW 20 A		587	1585	700	4615	750	TL	E11-106R- 003611
23.1 - 26	STANDARD	R1	159 A6	16	DW 20 B ; DW 20 A		587	1585	700	4615	750	TT	E11-106R- 003611
23.1 - 26	STANDARD	R1	153 A6	12	DW 20 B ; DW 20 A		587	1585	700	4615	750	TL	E4-106R- 002316
23.1 - 26	STANDARD	R1	153 A6	12	DW 20 B ; DW 20 A		587	1585	700	4615	750	TT	E4-106R- 002316
23.1 - 26	STANDARD	R1	156 A6	14	DW 20 B ; DW 20 A		587	1585	700	4615	750	TL	E11-106R- 004596
11.2 - 28	HD	R1	118 A6	8	W 10	W 9	284	1205	565	3543	575	TT	E11-106R- 003550
11.2 - 28	STANDARD	R1	118 A6	8	W 10	W 9	284	1205	565	3543	575	TT	E4-106R- 001977
11.2 - 28	STANDARD	R1	122 A6	10	W 10	W 9	284	1205	565	3543	575	TT	E11-106R- 004426
12.4 - 28	HD	R1	123 A6	8	W 11	W 9 ; W 10	325	1260	584	3876	600	TT	E11-106R- 004427
12.4 - 28	STANDARD	R1	127 A6	10	W 11	W 9 ; W 10	325	1260	584	3876	600	TT	E11-106R- 004428
12.4 - 28	STANDARD	R1	131 A6	12	W 11	W 9 ; W 10	325	1260	584	3876	600	TT	E11-106R- 005237
12.4 - 28	STANDARD	R1	117 A6	6	W 11	W 9 ; W 10	325	1260	584	3876	600	TT	E11-106R- 004625
12.4 - 28	STANDARD	R1	123 A6	8	W 11	W 9 ; W 10	325	1260	584	3876	600	TT	E4-106R- 001978
13.6 - 28	HD	R1	125 A6	8	W 12	W 11	345	1310	606	3908	625	TT	E11-106R- 004429
13.6 - 28	STANDARD	R1	134 A6	12	W 12	W 11	345	1310	606	3908	625	TT	
13.6 - 28	STANDARD	R1	137 A6	14	W 12	W 11	345	1310	606	3908	625	TT	E4-106R- 002818
13.6 - 28	STANDARD	R1	125 A6	8	W 12	W 11	345	1310	606	3908	625	TT	E4-106R- 002749
14.9 - 28	HD	R1	130 A6	8	W 13	W 11 ; W 12	378	1365	634	4170	650	TT	E11-106R- 004430
14.9 - 28	HD	R1	137 A6	12	W 13	W 11 ; W 12	378	1365	634	4170	650	TT	E11-106R- 004095
14.9 - 28	STANDARD	R1	137 A6	12	W 13	W 11 ; W 12	378	1365	634	4170	650	TT	E4-106R- 002819
14.9 - 28	STANDARD	R1	139 A6	14	W 13	W 11 ; W 12	378	1365	634	4170	650	TT	E4-106R- 002820
14.9 - 28	STANDARD	R1	125 A6	6	W 13	W 11 ; W 12	378	1365	634	4170	650	TT	E11-106R- 004626
14.9 - 28	STANDARD	R1	130 A6	8	W 13	W 11 ; W 12	378	1365	634	4170	650	TT	E4-106R- 002744
14.9 - 28 (28)	STANDARD	R1	130 A6	8	W 13	W 11 ; W 12	378	1365	634	4170	650	TL	E4-106R- 002744
18.4 - 28	STANDARD	R1	147 A6	12	W 16 L	W 15 L	467	1501	691	4413		TL	E4-106R- 002828
18.4 - 28	STANDARD	R1	138 A6	8	W 16 L	W 15 L	467	1501	691	4413		TL	E11-106R- 004431
8.3 - 28	STANDARD	R1	103 A6	6	W 7	W 6	213	1104	519	3347		TT	E4-106R- 001973

8.3 - 28	STANDARD	R1	108 A6	8	W 7	W 6	213	1104	519	3347	TT	E4-106R-001974	
9.5 - 28	STANDARD	R1	108 A6	6	W 8	W 7	235	1155	548	3557	TT	E4-106R-001975	
9.5 - 28	STANDARD	R1	114 A6	8	W 8	W 7	235	1155	548	3557	TT	E4-106R-001976	
14.9 - 30	STANDARD	R1	131 A6	8	W 13	W 11 ; W 12	378	1415	659	4316	675	TT	E4-106R-002753
15 - 30 (18.4 - 30)	STANDARD	R1	149 A6	12	W 16 L	W 15 L	460	1545	714	4542	725	TT	E11-106R-004434
15 - 30 (18.4 - 30)	STANDARD	R1	151 A6	14	W 16 L	W 15 L	460	1545	714	4542	725	TT	
16.9 - 30	STANDARD	R1	137 A6	8	W 15 L	W 14 L	429	1485	678	4535	700	TT	E11-106R-003482
16.9 - 30	STANDARD	R1	139 A6	10	W 15 L	W 14 L	429	1485	678	4535	700	TT	E4-106R-002824
16.9 - 30 (14 - 30)	STANDARD	R1	146 A6	14	W 15 L	W 14 L	429	1485	678	4535	700	TT	E4-106R-002823
16.9 - 30 (14 - 30)	STANDARD	R1	149 A6	16	W 15 L	W 14 L	429	1485	678	4535	700	TT	
18.4 - 30	HD	R1	139 A6	8	W 16 L	W 15 L	460	1545	697	4712	725	TT	E11-106R-004435
18.4 - 30	HD	R1	145 A6	10	W 16 L	W 15 L	460	1545	697	4712	725	TT	
18.4 - 30	HD	R1	145 A6	10	W 16 L	W 15 L	460	1545	697	4712	725	TL	
18.4 - 30	HD	R1	149 A6	12	W 16 L	W 15 L	460	1545	697	4712	725	TT	E11-106R-004436
18.4 - 30	STANDARD	R1	149 A6	12	W 16 L	W 15 L	460	1545	697	4712	725	TL	
18.4 - 30	STANDARD	R1	151 A6	14	W 16 L	W 15 L	460	1545	697	4712	725	TT	E11-106R-003612
18.4 - 30	STANDARD	R1	139 A6	8	W 16 L	W 15 L	460	1545	697	4712	725	TT	E11-106R-003357
18.4 - 30	STANDARD	R1	145 A6	10	W 16 L	W 15 L	460	1545	697	4712	725	TT	E4-106R-002825
18.4 - 30	STANDARD	R1	149 A6	12	W 16 L	W 15 L	460	1545	697	4712	725	TT	
18.4 - 30	STANDARD	R1	154 A6	16	W 16 L	W 15 L	460	1545	697	4712	725	TT	
23.1 - 30	DUAL BEAD	R1	155 A6	12	DW 20 B ; DW 20 A		600	1700	773	5217	TT	E11-106R-004599	
23.1 - 30	DUAL BEAD	R1	164 A6	18	DW 20 B ; DW 20 A		600	1700	773	5217	TT	E11-106R-004601	
23.1 - 30	DUAL BEAD	R1	164 A6	18	DW 20 B ; DW 20 A		600	1700	773	5217	TL	E11-106R-004601	
23.1 - 30	STANDARD	R1	146 A6	8	DW 20 B ; DW 20 A		600	1700	773	5217	TT	E4-106R-002303	
23.1 - 30	STANDARD	R1	146 A6	8	DW 20 B ; DW 20 A		600	1700	773	5217	TL	E4-106R-002303	
23.1 - 30	STANDARD	R1	155 A6	12	DW 20 B ; DW 20 A		600	1700	773	5217	TT	E4-106R-002302	
23.1 - 30	STANDARD	R1	155 A6	12	DW 20 B ; DW 20 A		600	1700	773	5217	TL	E4-106R-002302	
7.2 - 30	STANDARD	R1	95 A6	6	W 6		185	1095	523	3219	TT	E4-106R-002740	
9.5 - 30	STANDARD	R1	115 A6	8	W 8	W 7	241	1200	567	3528	TT	E11-106R-004433	
9.5 - 30	STANDARD	R1	109 A6	6	W 8	W 7	241	1200	567	3528	TT	E11-106R-004432	
11.2 - 32	HD	R1	120 A6	8	W 10	W 9	287	1310	615	4007	TL	E11-106R-007465	
12.4 - 32	HD	R1	124 A6	8	W 11	W 9 ; W 10	325	1360	639	3998	650	TT	E11-106R-004438

12.4 - 32	HD	R1	128 A6	10	W 11	W 9 ; W 10	325	1360	639	3998	650	TT	
12.4 - 32	STANDARD	R1	119 A6	6	W 11	W 9 ; W 10	325	1360	639	3998	650	TT	E11-106R-004627
12.4 - 32	STANDARD	R1	124 A6	8	W 11	W 9 ; W 10	325	1360	639	3998	650	TT	E4-106R-002034
8.3 - 32	STANDARD	R1	105 A6	6	W 7	W 6	211	1195	572	3585		TT	E4-106R-002030
8.3 - 32	STANDARD	R1	111 A6	8	W 7	W 6	211	1195	572	3585		TT	E4-106R-002032
9.5 - 32	STANDARD	R1	110 A6	6	W 8	W 7	235	1255	594	3686		TT	E4-106R-002033
16.9 - 34	HD	R1	142 A6	14	W 15 L	W 14 L	429	1585	728	4794	750	TT	
16.9 - 34	HD	R1	139 A6	8	W 15 L	W 14 L	429	1585	728	4794	750	TT	E11-106R-004439
16.9 - 34	HD	R1	142 A6	10	W 15 L	W 14 L	429	1585	728	4794	750	TT	E11-106R-004440
16.9 - 34	HD	R1	144 A6	12	W 15 L	W 14 L	429	1585	728	4794	750	TT	E11-106R-004441
16.9 - 34	STANDARD	R1	139 A6	8	W 15 L	W 14 L	429	1585	728	4794	750	TT	E4-106R-002714
16.9 - 34	STANDARD	R1	142 A6	10	W 15 L	W 14 L	429	1585	728	4794	750	TT	E4-106R-002715
16.9 - 34	STANDARD	R1	144 A6	12	W 15 L	W 14 L	429	1585	728	4794	750	TT	
18.4 - 34	HD	R1	142 A6	8	W 16 L	W 15 L	467	1650	751	5009	775	TT	E11-106R-004442
18.4 - 34	HD	R1	146 A6	10	W 16 L	W 15 L	467	1650	751	5009	775	TT	E11-106R-004443
18.4 - 34	HD	R1	151 A6	12	W 16 L	W 15 L	467	1650	751	5009	775	TT	E11-106R-004444
18.4 - 34	HD	R1	154 A6	14	W 16 L	W 15 L	467	1650	751	5009	775	TT	E11-106R-003394
18.4 - 34	HD SPECIAL	R1	151 A6	12	W 16 L	W 15 L	467	1650	751	5009	775	TT	E11-106R-004445
18.4 - 34	STANDARD	R1	146 A6	10	W 16 L	W 15 L	467	1650	751	5009	775	TT	E4-106R-002717
18.4 - 34	STANDARD	R1	151 A6	12	W 16 L	W 15 L	467	1650	751	5009	775	TT	E4-106R-002719
18.4 - 34	STANDARD	R1	137 A6	6	W 16 L	W 15 L	467	1650	751	5009	775	TT	E11-106R-004632
18.4 - 34	STANDARD	R1	142 A6	8	W 16 L	W 15 L	467	1650	751	5009	775	TT	E4-106R-002716
18.4 - 34	STANDARD	R1	154 A6	14	W 16 L	W 15 L	467	1650	751	5009	775	TT	E11-106R-003394
23.1 - 34	STANDARD	R1	153 A6	10	DW 20 B ; DW 20 A		585	1810	834	5321		TL	E4-106R-002831
23.1 - 34	STANDARD	R1	153 A6	10	DW 20 B ; DW 20 A		585	1810	834	5321		TT	E4-106R-002831
12.4 - 36	HD	R1	126 A6	8	W 11	W 9 ; W 10	325	1465	696	4546	700	TT	E11-106R-004446
12.4 - 36	HD	R1	131 A6	10	W 11	W 9 ; W 10	325	1465	696	4546	700	TT	E11-106R-004447
12.4 - 36	HD	R1	139 A6	14	W 11	W 9 ; W 10	325	1465	696	4546	700	TL	E11-106R-004449
12.4 - 36	HD	R1	139 A6	14	W 11	W 9 ; W 10	325	1465	696	4546	700	TT	E11-106R-004449
12.4 - 36	HD	R1	135 A6	12	W 11	W 9 ; W 10	325	1465	696	4546	700	TT	
12.4 - 36	STANDARD	R1	139 A6	14	W 11	W 9 ; W 10	325	1465	696	4546	700	TT	E11-106R-004449
12.4 - 36	STANDARD	R1	126 A6	8	W 11	W 9 ; W 10	325	1465	696	4546	700	TT	E4-106R-002035

12.4 - 36	STANDARD	R1	131 A6	10	W 11	W 9 ; W 10	325	1465	696	4546	700	TT	E4-106R-002821
12.4 - 36	STANDARD	R1	135 A6	12	W 11	W 9 ; W 10	325	1465	696	4546	700	TT	E11-106R-004448
13.6 - 36	HD	R1	134 A6	10	W 12	W 11	345	1515	713	4454	725	TT	E11-106R-004452
13.6 - 36	STANDARD	R1	125 A6	6	W 12	W 11	345	1515	713	4454	725	TT	E4-106R-002036
13.6 - 36	STANDARD	R1	129 A6	8	W 12	W 11	345	1515	713	4454	725	TT	E4-106R-002037
13.6 - 36	STANDARD	R1	134 A6	10	W 12	W 11	345	1515	713	4454	725	TT	E4-106R-002044
8.3 - 36	STANDARD	R1	107 A6	6	W 7	W 6	211	1295	628	4028		TT	E4-106R-002745
8.3 - 36	STANDARD	R1	113 A6	8	W 7	W 6	211	1295	628	4028		TT	E4-106R-002746
9.5 - 36	STANDARD	R1	122 A6	10	W 8	W 7	235	1360	646	4000		TT	E4-106R-002754
11.2 - 38	STANDARD	R1	117 A6	6	W 10	W 9	284	1460				TL	E11-106R-007700
12.4 - 38	STANDARD	R1	127 A6	8	W 11	W 9 ; W 10	325	1525	718	4670		TT	E4-106R-002038
12.4 - 38	STANDARD	R1	138 A6	14	W 11	W 9 ; W 10	325	1525	718	4670		TT	E11-106R-004454
12.4 - 38	STANDARD	R1	138 A6	14	W 11	W 9 ; W 10	325	1525	718	4670		TL	E11-106R-004454
13.6 - 38 (14.00 - 38)	HD	R1	131 A6	8	W 12	W 11	345	1565	735	4832	750	TT	E11-106R-004455
13.6 - 38 (14.00 - 38)	HD	R1	139 A6	12	W 12	W 11	345	1565	735	4832	750	TT	E11-106R-004097
13.6 - 38 (14.00 - 38)	STANDARD	R1	139 A6	12	W 12	W 11	345	1565	735	4832	750	TT	E11-106R-004097
13.6 - 38 (14.00 - 38)	STANDARD	R1	142 A6	14	W 12	W 11	345	1565	735	4832	750	TT	E4-106R-002826
13.6 - 38 (14.00 - 38)	STANDARD	R1	131 A6	8	W 12	W 11	345	1565	735	4832	750	TT	E4-106R-002039
14.00 - 38 (13.6 - 38)	SPECIAL	R1	139 A6	12	W 12	W 11	345	1565	735	4832	750	TT	E11-106R-004535
14.00 - 38 (13.6 - 38)	STANDARD	R1	131 A6	8	W 12	W 11	345	1565	735	4832	750	TT	E11-106R-004534
15.5 - 38	HD	R1	133 A6	8	W 14 L		395	1585	746	4660		TT	E11-106R-004456
15.5 - 38	HD	R1	138 A6	10	W 14 L		395	1585	746	4760		TT	E11-106R-005242
15.5 - 38	HD	R1	133 A6	8	W 14 L		395	1585	746	4660		TL	E11-106R-004456
15.5 - 38	STANDARD	R1	133 A6	8	W 14 L		395	1585	746	4660		TT	E4-106R-001559
15.5 - 38	STANDARD	R1	138 A6	10	W 14 L		395	1585	746	4660		TT	E4-106R-002827
15.5 - 38	STANDARD	R1	141 A6	12	W 14 L		395	1585	746	4660		TT	E11-106R-004457
16.9 - 38	HD	R1	141 A6	8	W 15 L	W 14 L	429	1685	788	4954	800	TT	E11-106R-004458
16.9 - 38	HD	R1	143 A6	10	W 15 L	W 14 L	429	1685	788	4954	800	TT	E11-106R-004459
16.9 - 38	STANDARD	R1	143 A6	10	W 15 L	W 14 L	429	1685	788	4954	800	TT	E4-106R-002720
16.9 - 38	STANDARD	R1	146 A6	12	W 15 L	W 14 L	429	1685	788	4954	800	TT	E4-106R-002721

16.9 - 38	STANDARD	R1	141 A6	8	W 15 L	W 14 L	429	1685	788	4954	800	TT	E4-106R-002829
18.4 - 38	HD	R1	143 A6	8	W 16 L	W 15 L	467	1750	794	5366	825	TT	E11-106R-004460
18.4 - 38	HD	R1	148 A6	10	W 16 L	W 15 L	467	1750	794	5366	825	TT	
18.4 - 38	HD	R1	148 A6	10	W 16 L	W 15 L	467	1750	794	5366	825	TL	
18.4 - 38	HD	R1	153 A6	12	W 16 L	W 15 L	467	1750	794	5366	825	TT	E11-106R-004461
18.4 - 38	STANDARD	R1	143 A6	8	W 16 L	W 15 L	467	1750	794	5366	825	TT	E4-106R-002722
18.4 - 38	STANDARD	R1	153 A6	12	W 16 L	W 15 L	467	1750	794	5366	825	TT	E11-106R-003366
18.4 - 38	STANDARD	R1	153 A6	12	W 16 L	W 15 L	467	1750	794	5366	825	TL	E11-106R-003366
18.4 - 38	STANDARD	R1	155 A6	14	W 16 L	W 15 L	467	1750	794	5366	825	TT	
20.8 - 38	DUAL BEAD HD	R1	163 A6	16	W 18 L	W 16 L	530	1835	852	5395	875	TT	E11-106R-004465
20.8 - 38	DUAL BEAD HD	R1	166 A6	18	W 18 L	W 16 L	530	1835	852	5395	875	TL	E11-106R-004466
20.8 - 38	DUAL BEAD HD	R1	166 A6	18	W 18 L	W 16 L	530	1835	852	5395	875	TT	E11-106R-004466
20.8 - 38	HD	R1	156 A6	12	W 18 L	W 16 L	530	1835	852	5395	875	TT	E11-106R-004463
20.8 - 38	STANDARD	R1	156 A6	12	W 18 L	W 16 L	530	1835	852	5395	875	TT	E4-106R-002272
20.8 - 38	STANDARD	R1	160 A6	14	W 18 L	W 16 L	530	1835	852	5395	875	TT	E11-106R-004464
20.8 - 38	STANDARD	R1	148 A6	8	W 18 L	W 16 L	530	1835	852	5395	875	TT	E4-106R-002832
20.8 - 38	STANDARD	R1	156 A6	12	W 18 L	W 16 L	530	1835	852	5395	875	TL	E4-106R-002272
12.4 - 42	STANDARD	R1	134 A6	10	W 10 ; W 10 A		322	1630	770	5011		TL	E11-106R-004467
20.8 - 42	DUAL BEAD HD	R1	168 A6	18	W 18 L	W 16 L	535	1950	909	5733		TL	E11-106R-005853
20.8 - 42	STANDARD	R1	158 A6	12	W 18 L	W 16 L	535	1950	909	5733		TT	E11-106R-004469
20.8 - 42	STANDARD	R1	165 A6	16	W 18 L	W 16 L	535	1950	909	5733		TL	
20.8 - 42 (42)	STANDARD	R1	158 A6	12	W 18 L	W 16 L	535	1950	909	5733		TL	E11-106R-004469
9.5 - 42	STANDARD	R1	125 A6	10	W 8	W 7	246	1510	721	4663		TT	E4-106R-002822

Printed on 3/2/2024 7:35 AM

All product data contained in this publication are for information purposes only and may be modified at any time without prior notice. Balkrishna Industries Ltd. or any of its subsidiary companies does not undertake any responsibility or liability for undetected errors and/or misprints. All rights reserved. The materials and contents of this publication and the website are the exclusive property of Balkrishna Industries Ltd. and are protected by industrial and/or intellectual property laws. The user is not permitted to copy, reproduce, transfer, upload, make use of, publish or spread any contents, in whole or in part, on paper format, electronic format or otherwise without prior written consent by Balkrishna Industries Ltd..